

Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.

FALL OF 1918

Wholesale
Trade Catalogue

FOR NURSERYMEN
and FLORISTS ONLY



L. A. BERCKMANS, Receiver for

P. J. Berckmans Company

INCORPORATED

ESTABLISHED IN 1856



FRUITLAND NURSERIES

AUGUSTA, GEORGIA



Platanus occidentalis (American Sycamore)

A Word of Explanation to Our Customers

In all probability this price-list will be the last to be published by the old firm of P. J. Berckmans Company.

In March of this year, announcement was made of the expiration, by legal limitation, of the charter held by the company, and the desire of the stockholders to close the affairs of the corporation.

To conform to the Georgia laws governing corporations, Mr. L. A. Berckmans was appointed the receiver, and has been disposing of the stock, machinery, and fixtures through the regular channels of trade.

It must be understood that this receivership in no wise grew out of financial embarrassment. The company is entirely solvent, and its integrity has never been questioned. The reason for the receivership was that the business might be closed according to law.

The business of the company will be discontinued after January 1, 1919, in accordance with a decision of a majority of the stockholders, including Messrs. L. A. Berckmans, R. C. Berckmans, and P. J. A. Berckmans, Jr. After that date the business is likely to be carried on by other persons; proper announcement of this will be made in due time.

During the past season we have made every effort to keep the stock up to the high standard which has characterized all the Berckmans products, and the entire nursery has been cared for in our usual efficient fashion. We do not hesitate to say that customers who make up their orders from this price-list will not be disappointed in the quality of the stock which will be furnished.

You are likely to find some good bargains in the list. Particularly do we call your attention to the deciduous trees, the broad-leaved evergreens, and the conifers. In the shrub section you will find many good things, including deutzias, hydrangeas and viburnums, that are of distinct value. The range of sizes shows specimens large enough to give immediate results in landscape work, as well as smaller plants that can be used profitably for "growing on."

We are in a position to make prompt shipments, and have every reason to believe that goods will travel rapidly after being transferred to the express or railroad carriers.

With these words of explanation we feel perfectly justified in asking for your patronage this year, and assure you that both stock and service will be on the same high plane as heretofore.

L. A. BERCKMANS, Receiver for
P. J. BERCKMANS COMPANY
AUGUSTA, GEORGIA

September 1, 1918

TERMS OF SALE

Our responsibility extends only to persons purchasing direct from us. Dealers purchasing from us sell upon their own responsibility.

If any nursery stock, etc., proves untrue to description under which it is sold, seller shall be liable to the purchaser only and to no greater extent or amount than the purchase price of such nursery stock, etc., and the seller, except for the aforesaid agreed liability and in respect to such purchased nursery stock, etc., gives no warranty, express or implied, as to description, quality, productiveness, or any other matter.

P. J. BERCKMANS CO.

PRICES.— This list cancels previous offers, and the prices quoted are net and not subject to discount.

We reserve the right to advance the prices without notice.

Orders for less than 400 trees or plants of a class will be billed at 100 rate; when 400 are ordered, prices will be at rate per 1,000; 40 at 100 rate; 5 at 10 rate.

Packing Charges.—Boxes will be charged at actual cost of materials. Bales, 25 cents to \$2, according to size.

Terms of Payment.—Cash with order, or satisfactory reference before shipment; or, if preferred, will ship goods with bill of lading attached to sight draft, through express or bank. On all C. O. D. orders we require 25 per cent of the bill remitted before shipment.

All quotations are for immediate acceptance, subject to stock being sold. No liability to attach to us where frost, drought, or other casualties beyond our control prevent delivery of stock that may be contracted for.

Claims and Liabilities.—We are not liable for delays in transit. Our responsibility ends upon delivery in good order to transportation company. Claims for loss lie between the buyer and the carrier. We will, however, gladly render all aid we can in adjusting these claims.

Shipments.—Please give plain and explicit directions as to route, and manner in which goods are to be forwarded. Give name of express or railroad which you prefer. When no instructions are given, we will ship as we think best for our customers' interests, but without assuming any responsibility.

The Risk and Transportation Charges Are to Be Borne by Purchaser.

The prices in this list are intended for Nurserymen and Florists only. If this catalogue reaches anyone not entitled to these prices, we would appreciate being advised of the fact so that we can correct our mailing-list. We do not employ agents.

All orders are accepted upon the above conditions.

Fruit Department

Quantity

ELÆAGNUS longipes. 10 100 1,000

| | | | | |
|----|--------------------------------|---------|--|--|
| 25 | 5 to 6 ft., bushy..... | \$10 00 | | |
| 60 | 4 to 5 ft., bushy..... | 8 00 | | |
| 25 | 3 to 4 ft., bushy..... | 5 00 | | |
| 20 | 2 to 3 ft., well-branched..... | 2 50 | | |

ERIOBOTRYA japonica.

Giant and Palermo, grafted.

| | | | | |
|-----|-----------------------------------|------|--|--|
| 25 | 3 yrs., from pots..... | 4 00 | | |
| 60 | 2 yrs., from pots..... | 3 00 | | |
| 80 | Seedlings, 3 yrs., from pots..... | 2 25 | | |
| 100 | 2 yrs., from pots..... | 1 50 | | |

OLIVE, Picholine.

| | | | | |
|-----|-------------------------------------|------|---------|--|
| 175 | 15 to 18 in., branched, from pots.. | 2 25 | \$20 00 | |
| 325 | 12 to 15 in., branched, from pots.. | 1 75 | 15 00 | |
| 100 | 10 to 12 in., branched, from pots.. | 1 50 | 12 50 | |

PEARS, Standard.

| | | | | |
|-------|--|------|-------|----------|
| 5,490 | 2 and 3 yrs., 5 ft. and up, heavy, well-branched..... | 2 00 | 15 00 | \$125 00 |
| 4,535 | 2 yrs., 4 to 5 ft., heavy, well- branched..... | 1 50 | 12 50 | 100 00 |

| | | |
|----------------|---------------|----------------|
| Alamo | Golden Russet | Marguerite |
| Angouleme | Hawaii | Mikado |
| Anjou | Kieffer | Philadelphia |
| Archangel | Koonce | Seckel |
| Bartlett | La France | Sheldon |
| Clapp's | Langelier | Smith's |
| Diel | Lawrence | Summer Doyenne |
| Flemish Beauty | Le Conte | Superfin |
| Garber | Lucrative | Wilder |
| | Magnolia | |

PEARS, Dwarf.

| | | | | |
|-----|---------------------------------------|--------|---------|----------|
| | | 10 | 100 | |
| 655 | 3 yrs., 4 to 5 ft., heavy, branched.. | \$2 00 | \$12 50 | |
| 465 | 2 yrs., 3 to 4 ft., branched..... | 1 50 | 10 00 | |
| | Angouleme | Anjou | Seckel | Superfin |

PERSIMMONS, Japanese.

| | | | | |
|-----|--------------------------|----------|-----------|--|
| | | 10 | 100 | |
| 220 | 4 to 5 ft., grafted..... | \$2 50 | \$17 50 | |
| 685 | 3 to 4 ft., grafted..... | 2 00 | 15 00 | |
| | Costata | Hiyakume | Triumph | |
| | Goshio | Miyotan | Tsurunoko | |
| | Hachiya | Tamopan | Zengi | |

PLUM, Cumberland.

| | | | | |
|-----|--|--------|---------|--|
| | | 10 | 100 | |
| 200 | 2 yrs., 5 to 7 ft., $\frac{3}{4}$ to 1 in., heavy.. | \$2 00 | \$17 50 | |
| 375 | 2 yrs., 4 to 5 ft., $\frac{1}{16}$ to $\frac{5}{8}$ in., stocky. | 1 50 | 15 00 | |

POMEGRANATES

| | | | |
|-----|---|-----------|-------|
| 170 | 4 to 5 ft., very bushy..... | 4 00 | 35 00 |
| 360 | 3 to 3 $\frac{1}{2}$ ft., very bushy..... | 3 00 | 25 00 |
| 130 | 2 to 3 ft., bushy..... | 2 00 | 17 50 |
| | Paper-shell | Sweet | |
| | Purple-seeded, or Spanish Ruby | Subacid | |
| | Rhoda | Wonderful | |
| | Sour | | |

QUINCES

| | | | | | |
|-----|--|------------------|---------------|--------|---------|
| 190 | Strong, 3 yrs., budded, 4 to 5 ft., branched..... | 10 | 100 | \$2 50 | \$20 00 |
| 385 | Strong, 2 yrs., budded, 3 to 4 ft., branched..... | 2 00 | 15 00 | | |
| | Apple | Meech's Prolific | Rea's Mammoth | | |

GRAPES

Native Varieties (2 years)

| | | | | |
|-----|----------------|--------|--------|-------|
| | | 10 | 100 | 1,000 |
| 250 | Agawam..... | \$0 60 | \$5 00 | |
| 285 | Amber..... | 60 | 5 00 | |
| 120 | Berckmans..... | 75 | 6 00 | |

Native Grapes, continued

| Quantity | | 10 | 100 | 1,000 |
|----------|----------|--------|--------|-------|
| 490 | Brighton | \$0 75 | \$6 00 | |
| 115 | Catawba | 60 | 5 00 | |
| 250 | Diamond | 75 | 6 00 | |
| 170 | Ives | 60 | 5 00 | |
| 90 | Knight | 75 | 6 00 | |
| 235 | Lindley | 60 | 5 00 | |
| 115 | Niagara | 60 | 5 00 | |
| 170 | Salem | 60 | 5 00 | |
| 110 | Worden | 60 | 5 00 | |

Muscadine Varieties

Our Muscadine Grapes are especially fine.

| | | | | |
|-------|-----------------------------------|------|-------|---------|
| 300 | Flowers. 3 yrs., transplanted | 1 50 | 12 00 | \$90 00 |
| 525 | 2 yrs., transplanted | 1 00 | 9 00 | 80 00 |
| 3,000 | 2 yrs., layers | | 6 00 | 50 00 |
| 300 | James. 2 yrs., layers | | 6 00 | 50 00 |
| 1,350 | Thomas. 3 yrs., transplanted | 1 50 | 12 00 | 90 00 |
| 165 | 2 yrs., transplanted | 1 00 | 9 00 | 80 00 |
| 2,000 | 2 yrs., layers | | 6 00 | 50 00 |
| 3,500 | Scuppernong. 3 yrs., transplanted | 1 50 | 12 00 | 90 00 |
| 1,600 | 2 yrs., transplanted | 1 00 | 9 00 | 80 00 |
| 5,000 | 2 yrs., layers | | 6 00 | 50 00 |

NUT TREES

CHESTNUT, Large Spanish.

| | | | | |
|----|----------------------------------|------|--|--|
| 50 | 5 to 6 ft., very heavy, branched | 8 00 | | |
| 45 | 4 to 5 ft., heavy, branched | 5 00 | | |
| 30 | 3 to 4 ft., branched | 2 50 | | |

WALNUTS, Black.

| | | | | |
|-----|--------------------------|------|-------|--|
| 80 | 6 to 8 ft., transplanted | 5 00 | | |
| 50 | 5 to 6 ft., transplanted | 4 00 | | |
| 75 | 4 to 5 ft., transplanted | 3 00 | | |
| 125 | 3 to 4 ft., transplanted | 2 00 | 17 50 | |
| 175 | 2 to 3 ft., transplanted | 1 50 | 12 50 | |

English. Good English Walnuts are scarce. We have them.

| | | | | |
|-----|--------------------------------------|------|-------|--|
| 50 | 5 to 6 ft., very heavy, transplanted | 6 00 | | |
| 390 | 4 to 5 ft., very heavy, transplanted | 4 00 | 35 00 | |
| 425 | 3 to 4 ft., heavy, transplanted | 3 25 | 30 00 | |
| 600 | 2 to 3 ft., heavy, transplanted | 2 50 | 20 00 | |
| 165 | 18 to 24 in., heavy, transplanted | 1 75 | 15 00 | |

Ornamental Department

DECIDUOUS SHRUBS

All of these plants have been given ample space in the rows, and are therefore very stocky and well branched. They must not be confused with those which have not been transplanted and have been grown in crowded rows. We can supply many varieties in carload lots

| | | 10 | 100 | 1,000 |
|-----|--|--------|---------|-------|
| 150 | BERBERIS vulgaris atropurpurea. 3 to 4 ft., very bushy | \$2 50 | \$20 00 | |
| 210 | 2 to 3 ft., very bushy | 1 75 | 15 50 | |

CALLICARPA americana.

| | | | | |
|----|--|------|--|--|
| 90 | 2 to 3 ft., branched | 2 00 | | |
| 40 | americana alba. 4 to 5 ft., very bushy | 5 00 | | |

CHILOPSIS linearis.

| | | | | |
|-----|------------------------------|------|-------|--|
| 120 | 3 yrs., heavy | 3 00 | 25 00 | |
| 140 | linearis alba. 3 yrs., heavy | 3 00 | 25 00 | |

CHIONANTHUS virginica.

| | | | | |
|----|-----------------------------|------|--|--|
| 75 | 18 to 24 in., well-branched | 2 50 | | |
|----|-----------------------------|------|--|--|

Deciduous Shrubs, continued

CERCIS SILIQUASTRUM

A new form which originated in our Nursery. A large-growing shrub or small tree; leaves heart-shaped, and, like those of the other *Cercis*, assume a yellow tone in autumn. This Judas Tree is the most profuse bloomer we have ever seen, bearing deep lavender flowers four times as large as those of our native Judas Tree. They are produced in large bunches, and, when in full bloom, the tree is a mass of color.

| Quantity | | 10 | 100 | 1,000 |
|----------|-------------------------------------|---------|---------|-------|
| 40 | 6 to 8 ft., extra-heavy, budded... | \$10 00 | | |
| 185 | 4 to 6 ft., extra-heavy, budded... | 6 50 | \$60 00 | |
| 135 | 3 to 4 ft., well-branched, budded.. | 6 00 | 50 00 | |
| 75 | 2 to 3 ft., well-branched, budded.. | 4 00 | | |

DEUTZIA gracilis.

| | | | | |
|-----|----------------------------------|------|-------|--|
| 125 | 30 to 36 in., very bushy..... | 3 00 | 25 00 | |
| 275 | 24 to 30 in., very bushy..... | 2 00 | 17 50 | |
| 370 | 18 to 24 in., very bushy..... | 1 50 | 12 50 | |
| 290 | 15 to 18 in., well-branched..... | 1 25 | 10 00 | |

gracilis rosea.

| | | | | |
|-----|----------------------------------|------|-------|--|
| 60 | 2 to 3 ft., very bushy..... | 2 00 | | |
| 345 | 15 to 18 in., well-branched..... | 1 25 | 10 00 | |

scabra crenata, scabra crenata fl.-pl.

alba, scabra crenata fl.-pl. rosea, and Pride of Rochester.

| | | | | |
|-------|--------------------------------|------|-------|----------|
| 700 | 5 to 6 ft., extra heavy..... | 3 00 | 20 00 | |
| 1,215 | 4 to 5 ft., very heavy..... | 1 50 | 12 50 | \$110 00 |
| 1,010 | 3 to 4 ft., heavy..... | 1 25 | 11 00 | 90 00 |
| 195 | 2 to 3 ft., well-branched..... | 1 00 | 8 00 | |

ELÆAGNUS longipes.

| | | | | |
|----|--------------------------------|-------|--|--|
| 25 | 5 to 6 ft., bushy..... | 10 00 | | |
| 60 | 4 to 5 ft., bushy..... | 8 00 | | |
| 25 | 3 to 4 ft., bushy..... | 5 00 | | |
| 20 | 2 to 3 ft., well-branched..... | 2 50 | | |

parvifolia.

| | | | | |
|-----|-----------------------------|------|-------|--|
| 450 | 5 to 6 ft., very heavy..... | 5 00 | 40 00 | |
| 250 | 4 to 5 ft., bushy..... | 3 50 | 30 00 | |

EUONYMUS Bungeanus.

| | | | | |
|-----|-----------------------------|------|-------|--|
| 115 | 5 to 6 ft., very heavy..... | 4 50 | 40 00 | |
| 225 | 4 to 5 ft., heavy..... | 3 00 | 25 00 | |
| 90 | 3 to 4 ft., heavy..... | 2 00 | | |
| 255 | 2 to 3 ft..... | 1 50 | 12 50 | |

EXOCHORDA grandiflora.

| | | | | |
|-----|-----------------------------|------|-------|--|
| 180 | 3 to 4 ft., very heavy..... | 2 00 | 17 50 | |
| 375 | 2 to 3 ft., heavy..... | 1 50 | 12 00 | |
| 500 | 2 yrs., from seed-beds..... | | 2 50 | |

FORSYTHIA, Fortunei and Intermedia.

| | | | | |
|-----|--------------------------------------|------|-------|--|
| 90 | 4 to 5 ft., well-branched..... | 2 00 | | |
| 140 | 3 to 4 ft., 3 yrs., well-branched... | 1 75 | 15 00 | |
| 235 | 2 to 3 ft., 2 yrs., well-branched... | 1 25 | 10 00 | |

viridissima.

| | | | | |
|-----|--------------------------------------|------|-------|--|
| 200 | 4 to 5 ft., well-branched..... | 2 00 | 15 00 | |
| 340 | 3 to 4 ft., 3 yrs., well-branched... | 1 50 | 12 50 | |
| 350 | 2 to 3 ft., 2 yrs., well-branched... | 1 00 | 8 00 | |

HIBISCUS SYRIACUS (Althæa). Best

single and double sorts.

| | | | | |
|-------|---|------|-------|--------|
| 2,060 | 4 to 5 ft., extra-strong, grafted, and cuttings, well-branched..... | 2 00 | 17 50 | 150 00 |
| 4,900 | 3 to 4 ft., strong, grafted and cuttings, well-branched..... | 1 75 | 15 00 | 100 00 |
| 4,160 | 2 to 3 ft., strong, grafted, branched. | 1 25 | 9 00 | 70 00 |
| 170 | 18 to 24 in., strong, grafted..... | 1 00 | 8 00 | |

Varieties of *Hibiscus syriacus*, continued

| | | | | | |
|----------|---------------------------------------|--|----------------------|---------|-------|
| | amplissimus | | Louis II | | |
| | Double Pink | | monstrosus | | |
| | Duchesse de Brabant | | punicus roseus | | |
| | Granville | | purpureus semiplenus | | |
| | Jeanne d'Arc | | ruber flore-pleno | | |
| | Lady Stanley | | violaceus semiplenus | | |
| Quantity | coelestis, Meehanii, and totus albus. | | 10 | 100 | 1,000 |
| 640 | 2 to 3 ft., grafted, well-branched. | | \$1 75 | \$15 00 | |
| 565 | 18 to 24 in., grafted, bushy. | | 1 25 | 9 00 | |

HYDRANGEA.

| | | | | | |
|-------|--|--|------------------|-------|----------|
| 600 | 3 to 4 ft., 4 yrs., very heavy, well-branched. | | 4 00 | 25 00 | |
| 1,200 | 24 to 30 in., 3 yrs., heavy, well-branched. | | 3 00 | 20 00 | |
| 550 | 18 to 24 in., 2 yrs., well-branched. | | 2 00 | 17 50 | |
| 1,100 | 12 to 18 in., branched. | | 1 50 | 12 00 | \$100 00 |
| | Avalanche | | opuloides otaksa | | |
| | La Lorraine | | rosea | | |
| | monstrosa | | Souv. de Claire | | |
| | opuloides cyanoclada | | Thomas Hogg | | |

All the above Hydrangeas have been grown in regular Hydrangea ground, and the plants are A No. 1.

HYPERICUM Moserianum. 10 100

| | | | | |
|----|----------------|--|--------|--|
| 90 | 3 yrs., heavy. | | \$2 00 | |
|----|----------------|--|--------|--|

JASMINUM floridum.

| | | | | |
|-------|-------------------------|--|------|---------|
| 65 | 2 yrs., very heavy. | | 1 50 | |
| | <u>nudiflorum.</u> | | | |
| 1,000 | 2 to 3 ft., very heavy. | | 1 50 | \$12 50 |

LAGERSTRÆMIA indica. Crimson,

Pink, and White.

| | | | | |
|-----|----------------------------|--|------|-------|
| 40 | 4 to 5 ft., very bushy. | | 5 00 | |
| 190 | 3 to 4 ft., well-branched. | | 3 50 | 25 00 |
| 165 | 2 to 3 ft., well-branched. | | 2 50 | 20 00 |

LONICERA

bella, fragrantissima, Morrowii, grandiflora rosea, etc.

| | | | | |
|-----|------------------------------|--|------|-------|
| 180 | 3 to 4 ft., very bushy. | | 2 50 | 17 50 |
| 675 | 2 to 3 ft., bushy. | | 1 50 | 10 00 |
| 300 | 18 to 24 in., well-branched. | | 1 25 | 8 00 |

MERATIA præcox.

| | | | | |
|-----|----------------------------|--|------|--|
| 100 | 2 to 3 ft., well-branched. | | 2 00 | |
|-----|----------------------------|--|------|--|

PHILADELPHUS

grandiflorus, laxus, Souv. de Billard, and Lewisii.

| | | | | |
|-------|-------------------------|--|------|-------|
| 640 | 5 to 6 ft., very heavy. | | 3 00 | 20 00 |
| 1,105 | 4 to 5 ft., very heavy. | | 2 00 | 15 00 |
| 275 | 3 to 4 ft., heavy. | | 1 50 | 10 00 |

Bouquet Blanc, Conquete, and coronarius.

| | | | | |
|-----|------------------------------|--|------|-------|
| 100 | 3 to 4 ft., well-branched. | | 1 50 | 12 50 |
| 555 | 2 to 3 ft., well-branched. | | 1 25 | 10 00 |
| 435 | 18 to 24 in., well-branched. | | 1 00 | 8 00 |

Lemoinei flore-pleno.

| | | | | |
|-----|-----------------------|--|------|--|
| 150 | 12 to 18 in., clumps. | | 1 25 | |
|-----|-----------------------|--|------|--|

PUNICA Granatum. Double Red,

Double Variegated, and Double White.

| | | | | |
|-----|---|--|------|-------|
| 275 | 5 to 6 ft., extra heavy, well-branched. | | 5 00 | 45 00 |
| 320 | 4 to 5 ft., extra heavy, well-branched. | | 4 00 | 30 00 |
| 495 | 3 to 4 ft., very heavy, well-branched. | | 2 50 | 20 00 |
| 155 | 2 to 3 ft., branched. | | 1 50 | 12 50 |

Deciduous Shrubs, continued

Quantity

PONCIRUS trifoliata.

| | | | | |
|-----|--|-----------|-------------|-------|
| 500 | 2 to 3 ft., 3 yrs., strong, well-branched..... | 10 \$1 50 | 100 \$10 00 | 1,000 |
| 750 | 18 to 24 in., 2 yrs., well-branched.. | | 5 00 | |

RHODOTYPOS kerrioides.

| | | | |
|-----|----------------------------------|------|-------|
| 180 | 3 to 4 ft., very bushy..... | 2 00 | 15 00 |
| 680 | 2 to 3 ft., bushy..... | 1 50 | 12 50 |
| 340 | 18 to 24 in., well-branched..... | 1 25 | 9 00 |

RHUS Cotinus.

| | | | |
|-----|--------------------------------|------|-------|
| 100 | 6 to 8 ft., well-branched..... | 5 00 | |
| 325 | 5 to 6 ft., well-branched..... | 3 50 | 25 00 |
| 140 | 4 to 5 ft., well-branched..... | 2 50 | 20 00 |
| 180 | 3 to 4 ft., branched..... | 1 50 | 12 50 |

ROSMARINUS officinalis.

| | | | |
|-----|-------------------------------|------|-------|
| 160 | 18 to 24 in., very bushy..... | 2 00 | 15 00 |
|-----|-------------------------------|------|-------|

SPIRÆA Billardii.

| | | | |
|-----|-------------------------------------|------|-------|
| 365 | 4 to 5 ft., extra heavy, bushy..... | 2 50 | 20 00 |
| 390 | 3 to 4 ft., very heavy, bushy..... | 1 50 | 10 00 |
| 170 | 2 to 3 ft., heavy, bushy..... | 1 00 | 8 00 |

callosa alba.

| | | | |
|-----|-------------------------------------|------|-------|
| 60 | 2 to 3 ft., extra-heavy clumps..... | 1 75 | |
| 180 | 18 to 24 in., heavy clumps..... | 1 50 | 10 00 |
| 395 | 12 to 18 in., heavy clumps..... | 1 00 | 8 00 |

| | | | |
|-----|---|------|-------|
| 380 | Fortunei. 2 to 3 ft., heavy clumps.. | 1 50 | 12 50 |
|-----|---|------|-------|

| | | | |
|----|---|------|--|
| 75 | Froebelii. 18 to 24 in., heavy clumps. | 1 25 | |
|----|---|------|--|

Reevesiana, Reevesiana flore-pleno

and Van Houttei.

| | | | |
|-----|-------------------------------------|------|-------|
| 100 | 5 to 6 ft., extra heavy, bushy..... | 3 50 | |
| 215 | 4 to 5 ft., extra heavy, bushy..... | 2 50 | 20 00 |
| 365 | 3 to 4 ft., very heavy, bushy..... | 1 50 | 10 00 |
| 140 | 2 to 3 ft., well branched..... | 1 00 | 8 00 |

| | | | |
|----|--|------|--|
| 80 | STAPHYLEA pinnata. 2 to 3 ft..... | 2 00 | |
|----|--|------|--|

STYRAX japonica.

| | | | |
|----|--------------------------------------|------|--|
| 70 | 4 to 5 ft., heavy, well-branched ... | 4 00 | |
| 50 | 3 to 4 ft., heavy, well-branched ... | 2 50 | |

SYMPHORICARPOS vulgaris.

| | | | |
|-----|------------------------|------|--|
| 100 | 2 to 3 ft., heavy..... | 1 50 | |
|-----|------------------------|------|--|

SYRINGA vulgaris. Named sorts, bud-ded.

| | | | | |
|-------|---------------------------------------|------|-------|----------|
| 935 | 3 to 4 ft., very heavy, well-branched | 3 00 | 25 00 | |
| 1,000 | 2 to 3 ft., heavy, well-branched ... | 1 75 | 15 00 | \$125 00 |

SINGLE VARIETIES

| | |
|----------------------------|---------------------------|
| Frau Bertha Dammann | Emile Lemoine |
| Ludwig Spaeth | Jeanne d'Arc |
| Prof. Stockhardt | La Tour d'Auvergne |
| | Louis Henri |

DOUBLE VARIETIES

| | |
|---------------------------------|-----------------------------|
| Alphonse Laval | Mme. Casimir-Perier |
| Comte de Jessieu | Matthieu de Dombasle |
| Comte Horace de Choiseul | Michel Buchner |
| Dr. Masters | Pres. Carnot |
| | Pyramidalis |
| | Renoncule |

TAMARIX gallica and odessana.

| | | | |
|-----|---------------------------------------|--------|---------|
| | | 10 | 100 |
| 150 | 6 to 8 ft., very heavy, well-branched | \$3 00 | \$25 00 |
| 850 | 5 to 6 ft., very heavy, well-branched | 2 50 | 17 50 |
| 355 | 4 to 5 ft., well-branched..... | 1 50 | 12 50 |

juniperina (plumosa).

| | | | |
|-----|---------------------------------------|------|-------|
| 100 | 6 to 8 ft., very heavy, well-branched | 3 50 | |
| 250 | 5 to 6 ft., very heavy, well-branched | 3 00 | 25 00 |
| 280 | 4 to 5 ft., very heavy, well-branched | 2 50 | 17 50 |
| 270 | 3 to 4 ft., branched..... | 1 25 | 10 00 |

| Quantity | | Deciduous Shrubs, continued | | |
|--|-------------------------------------|-----------------------------|---------|-------|
| VIBURNUM Opulus. | | | | |
| | | 10 | 100 | 1,000 |
| 50 | 4 to 5 ft., very bushy..... | \$4 00 | | |
| 135 | 3 to 4 ft., very bushy..... | 2 00 | \$17 50 | |
| 270 | 2 to 3 ft., well-branched..... | 1 50 | 12 00 | |
| 200 | 18 to 24 in., branched..... | 1 25 | 10 00 | |
| Opulus sterile. | | | | |
| 50 | 3 to 4 ft., very bushy..... | 3 50 | | |
| 220 | 2 to 3 ft., heavy, well-branched... | 1 50 | 12 50 | |
| 230 | 18 to 24 in., branched..... | 1 25 | 10 00 | |
| VITEX | | | | |
| Agnus-castus and Agnus-castus alba. | | | | |
| 220 | 4 to 5 ft., very bushy..... | 3 00 | 25 00 | |
| 90 | 3 to 4 ft., well-branched..... | 2 00 | | |

DECIDUOUS TREES

These trees have been given ample distance in the row, so that the trees could develop properly and symmetrically. We can supply **Maples, Hackberry, Texas Umbrella, Sycamore, Poplars, Oaks and Elms** in carload lots.

| | | | | |
|--|--------------------------------------|--------|---------|-------|
| ACER dasycarpum (Silver Maple). | | 10 | 100 | 1,000 |
| 250 | 10 to 12 ft., 1½ to 1¾ in. cal.... | \$7 50 | \$60 00 | |
| 155 | 8 to 10 ft..... | 4 50 | 40 00 | |
| 200 | 6 to 8 ft..... | 3 00 | 25 00 | |
| dasycarpum Wieri (Wier's Cut-Leaf Maple). | | | | |
| 85 | 10 to 12 ft., budded, well-branched. | 10 00 | | |
| 165 | 8 to 10 ft., budded, well-branched. | 7 50 | 50 00 | |
| 230 | 6 to 8 ft., budded, well-branched.. | 4 00 | 35 00 | |
| japonicum palmatum (seedling) | | | | |
| 50 | 2 to 3 ft., from pots..... | 5 00 | | |
| 50 | 18 to 24 in., from pots..... | 3 50 | | |
| 50 | 15 to 18 in., from pots..... | 2 50 | | |

ALEURITES Fordii (Candle-nut or Candleberry Tree).

The walnut-like seed makes an oil which is variously known as Indian walnut oil, Kuqui oil, etc., which is largely used for illuminating purposes. This tree is destined to become very popular in the cotton region, where it can be profitably grown.

| | | | | |
|-----|-------------------------------|---------|-----|-------|
| | | 10 | 100 | 1,000 |
| 105 | 10 to 14 ft., very heavy..... | \$10 00 | | |
| 110 | 6 to 8 ft., heavy..... | 7 50 | | |
| 20 | 4 to 6 ft..... | 3 00 | | |

AMYGDALUS

Persica (Double-flowering Peach).

| | | | | |
|-----|------------------------------|------|---------|--|
| | 5 to 7 ft., extra heavy..... | 2 00 | \$15 00 | |
| | 4 to 5 ft., heavy..... | 1 50 | 12 50 | |
| 200 | Chrysanthemum | | | |
| 75 | Double Red | | | |
| 125 | Double Pink | | | |
| 200 | Double White | | | |

APHANANTHE

aspera (Chinese Hackberry or Nettle Tree).

| | | | | |
|-----|--|-------|-------|--|
| 50 | 10 to 12 ft., 1 to 1¼ in. cal., branched..... | 10 00 | | |
| 400 | 8 to 10 ft., ¾ to 1 in. cal., branched. | 6 00 | 50 00 | |
| 300 | 6 to 8 ft., branched..... | 4 00 | 35 00 | |

CELTIS MISSISSIPPIENSIS (Hack-

berry). The best and straightest lot we have ever grown.

| | | | | |
|-----|-------------------------------------|-------|--------|--|
| 550 | .14 to 16 ft., 2 to 2½ in. cal..... | 20 00 | 175 00 | |
| 950 | 12 to 14 ft., 1½ to 2 in. cal..... | 12 50 | 100 00 | |
| 800 | 10 to 12 ft., 1¼ to 1½ in. cal..... | 7 50 | 70 00 | |
| 400 | 8 to 10 ft., stocky..... | 5 00 | 40 00 | |
| 125 | 6 to 8 ft., stocky..... | 3 00 | 25 00 | |

Deciduous Trees, continued

CERCIS**canadensis** (Red-bud or American

| Quantity | Judas Tree). | 10 | 100 | 1,000 |
|----------|-------------------------------------|---------|----------|-------|
| 50 | 12 to 16 ft., very heavy..... | \$15 00 | | |
| 235 | 10 to 12 ft., 1¾ to 2¼ in. cal..... | 12 00 | \$100 00 | |
| 335 | 8 to 10 ft., 1¼ to 1½ in. cal..... | 7 50 | 65 00 | |
| 140 | 6 to 8 ft., 1 to 1¼ in. cal..... | 5 00 | 40 00 | |

CORNUS**FLORIDA** (White-flowering Dogwood).

| | | | | |
|-----|---|------|-------|--|
| 75 | 5 to 6 ft., extra heavy, well-branched..... | 6 00 | | |
| 300 | 4 to 5 ft., heavy, well-branched... | 5 00 | 40 00 | |
| 250 | 3 to 4 ft., well-branched..... | 3 00 | 25 00 | |
| 250 | 2 to 3 ft., branched..... | 2 00 | 17 50 | |

florida flore-pleno.

| | | | | |
|----|-------------------------------------|------|--|--|
| 85 | 3 to 4 ft., well-branched, budded.. | 8 00 | | |
| 40 | 2 to 3 ft., well-branched, budded.. | 5 00 | | |

GINKGO biloba (Salisburia).

| | | | | |
|-----|----------------|------|--|--|
| 50 | 6 to 8 ft..... | 4 00 | | |
| 50 | 5 to 6 ft..... | 3 00 | | |
| 110 | 4 to 5 ft..... | 2 50 | | |

KÆLREUTERIA**paniculata** (Golden Rain Tree).

| | | | | |
|-----|--|-------|------|--|
| 40 | 10 to 12 ft., very heavy, well-branched..... | 10 00 | | |
| 40 | 6 to 10 ft., well-branched..... | 5 00 | | |
| 385 | 2 yrs., transplanted..... | | 8 00 | |

LIQUIDAMBAR**Styraciflua** (Sweet Gum).

| | | | | |
|-----|---|-------|-------|--|
| 25 | 12 to 16 ft., 2½ to 3 in. cal., very heavy..... | 17 50 | | |
| 85 | 10 to 12 ft., 2 to 2½ in. cal., very heavy..... | 15 00 | | |
| 285 | 8 to 10 ft., 1½ to 2 in. cal., well-branched..... | 9 00 | 80 00 | |
| 150 | 6 to 8 ft., 1 to 1¼ in. cal., branched. | 8 00 | 60 00 | |
| 130 | 5 to 6 ft., stocky..... | 5 00 | 35 00 | |

LIRIODENDRON**Tulipifera** (Tulip Poplar).

| | | | | |
|-----|------------------------------------|------|-------|--|
| 200 | 10 to 12 ft., 1¾ to 2 in. cal..... | 8 00 | 70 00 | |
| 200 | 8 to 10 ft., 1¼ to 1¾ in. cal..... | 6 00 | 50 00 | |
| 100 | 6 to 8 ft., 1 to 1¼ in. cal..... | 4 50 | 40 00 | |

MAGNOLIA**OBOVATA** (*purpurea*). Home-grown.

Very thrifty and well-grown plants.

| | | | | |
|-----|-------------------------------------|-------|-------|--|
| 35 | 5 to 6 ft., very bushy specimens... | 20 00 | | |
| 225 | 4 to 5 ft., very bushy specimens... | 10 00 | 80 00 | |
| 100 | 3 to 4 ft., well-branched..... | 6 00 | 50 00 | |
| 100 | 2 to 3 ft., well-branched..... | 4 00 | 35 00 | |
| 100 | 18 to 24 in., branched..... | 3 00 | 25 00 | |

Soulangeana.

| | | | | |
|----|---------------------------------------|-------|--|--|
| 40 | 4 to 4½ ft., heavy, imported..... | 25 00 | | |
| 35 | 3 to 4 ft., heavy, imported..... | 20 00 | | |
| 50 | 2 to 3 ft., heavy, home-grown layers. | 7 50 | | |
| 50 | 18 to 24 in., home-grown layers... | 3 00 | | |

Soulangeana nigra. Home-grown.

| | | | | |
|----|------------------------|-------|--|--|
| 10 | 5 to 6 ft., heavy..... | 25 00 | | |
| 25 | 4 to 5 ft., heavy..... | 12 50 | | |
| 20 | 3 to 4 ft., heavy..... | 10 00 | | |
| 45 | 2 to 3 ft., 2 yrs..... | 5 00 | | |

Deciduous Trees, continued

MELIA

| | | | | |
|----------|--|-----|-----|---------|
| | Azedarach aurea (Golden Leaf China Tree). | 10 | 100 | 1,000 |
| Quantity | | | | |
| 35 | 5 to 6 ft., very heavy..... | \$6 | 00 | |
| 35 | 4 to 5 ft., heavy..... | 3 | 50 | |
| | Azedarach umbraculiformis (Texas Umbrella). | | | |
| 50 | 6 to 7 ft., 1½ to 2 in. cal., heavy, branched, transplanted..... | 10 | 00 | |
| 300 | 5 to 6 ft., 1¼ to 1½ in. cal., well-branched, transplanted..... | 5 | 50 | \$40 00 |
| 625 | 4 to 5 ft., 1 in. cal., branched, transplanted..... | 2 | 50 | 20 00 |
| 75 | 3 to 4 ft., branched, transplanted.. | 1 | 50 | |

PLATANUS OCCIDENTALIS (Ameri-

can Sycamore). These are beautiful, straight, well-developed trees.

| | | | | |
|-----|--------------------------------------|----|----|--------|
| 225 | 14 to 16 ft., 2½ to 2¾ in. cal. | 17 | 50 | 140 00 |
| 345 | 12 to 14 ft., 2 to 2½ in. cal. | 12 | 50 | 110 00 |
| 675 | 10 to 12 ft., 1¼ to 1½ in. cal. | 6 | 00 | 50 00 |
| 625 | 8 to 10 ft., well-branched, heavy.. | 3 | 50 | 30 00 |
| 265 | 6 to 8 ft., well-branched..... | 2 | 00 | 17 50 |

POPULUS

deltoides monilifera (Carolina Poplar).

| | | | | |
|-----|--------------------------------------|----|----|-------|
| 175 | 14 to 16 ft., 2½ to 3 in. cal. | 12 | 50 | 90 00 |
| 250 | 12 to 14 ft., 1¾ to 2 in. cal. | 7 | 50 | 60 00 |
| 350 | 10 to 12 ft., 1½ to 1¾ in. cal. | 5 | 00 | 35 00 |
| 400 | 8 to 10 ft., 1¼ in. cal. | 2 | 50 | 17 50 |
| 125 | 6 to 8 ft..... | 1 | 50 | 12 00 |

nigra italica (Lombardy Poplar).

| | | | | |
|-------|--------------------------------------|----|----|-------|
| 50 | 14 to 16 ft., 2 to 2¼ in. cal. | 12 | 50 | |
| 100 | 12 to 14 ft., 1¾ to 2 in. cal. | 10 | 00 | 80 00 |
| 425 | 10 to 12 ft., 1½ to 1¾ in. cal. | 5 | 00 | 35 00 |
| 1,000 | 8 to 10 ft., 1¼ to 1½ in. cal. | 2 | 50 | 17 50 |
| 200 | 6 to 8 ft., 1 in. cal. | 1 | 50 | 12 50 |

Simonii (Chinese Poplar).

| | | | | |
|-----|--------------------------------------|----|----|-------|
| 75 | 14 to 16 ft., 2½ to 3 in. cal. | 12 | 50 | |
| 100 | 12 to 14 ft., 1½ to 2 in. cal. | 10 | 00 | 80 00 |
| 600 | 10 to 12 ft., 1¼ to 1½ in. cal. | 5 | 00 | 35 00 |
| 300 | 8 to 10 ft., 1¼ in. cal. | 2 | 50 | 17 50 |
| 50 | 6 to 8 ft., 1 in. cal. | 1 | 50 | 12 50 |

PRUNUS

AVIUM FLORE - PLENO ALBA

(Japanese Flowering Cherry).

| | | | | |
|-----|--|----|----|-------|
| 160 | 6 to 7 ft., heavy, well-branched... | 7 | 50 | 60 00 |
| 485 | 5 to 6 ft., heavy, well-branched... | 5 | 00 | 35 00 |
| 265 | 4 to 5 ft., branched..... | 3 | 00 | 25 00 |
| 75 | 3 to 4 ft., branched..... | 2 | 50 | 20 00 |
| 140 | cerasifera Pissardii. 5 to 7 ft..... | 3 | 00 | 25 00 |
| 80 | Mume. 2 yrs., heavy..... | 3 | 00 | |
| | subhirtella pendula rosea (Weeping Flowering Cherry). | | | |
| 50 | 2-yr. heads..... | 10 | 00 | |

QUERCUS alba (White Oak).

| | | | | |
|-----|----------------------------------|----|----|-------|
| 35 | 6 to 8 ft., ¾ to 1 in. cal. | 10 | 00 | |
| 175 | 5 to 6 ft..... | 7 | 50 | 50 00 |

NIGRA (Water Oak).

| | | | | |
|-----|-------------------------------------|----|----|-------|
| 25 | 14 to 16 ft., 2½ to 3 in. cal. | 50 | 00 | |
| 70 | 12 to 14 ft., 2 to 2½ in. cal. | 35 | 00 | |
| 100 | 8 to 10 ft., 1 to 1¼ in cal. | 8 | 00 | |
| 300 | 6 to 8 ft., ¾ to 1 in. cal. | 6 | 00 | 50 00 |
| 500 | 5 to 6 ft..... | 3 | 50 | 30 00 |

| | | Deciduous Trees, continued | | |
|--|--|----------------------------|----------|----------|
| Quantity | | | | |
| | QUERCUS PALUSTRIS (Pin Oak). | 10 | 100 | 1,000 |
| 25 | 12 to 15 ft., 2 to 2½ in. cal..... | \$25 00 | | |
| 40 | 10 to 12 ft., 1¾ to 2 in. cal..... | 17 50 | | |
| 830 | 8 to 10 ft., 1½ to 1¾ in. cal..... | 15 00 | \$120 00 | |
| 2,000 | 6 to 8 ft., ¾ to 1 in. cal..... | 8 00 | 60 00 | |
| 650 | 5 to 6 ft..... | 6 00 | 40 00 | |
| PHELLOS. | | | | |
| 130 | 8 to 10 ft., 1¼ to 1½ in. cal..... | 10 00 | 80 00 | |
| 480 | 6 to 8 ft., 1 to 1¼ in. cal..... | 7 50 | 60 00 | |
| 575 | 5 to 6 ft., well-branched..... | 6 00 | 40 00 | |
| rubra (Red Oak). | | | | |
| 25 | 8 to 10 ft., 1 to 1¼ in. cal..... | 10 00 | | |
| 100 | 6 to 8 ft., ¾ to 1 in. cal..... | 7 50 | 60 00 | |
| 75 | 5 to 6 ft..... | 6 00 | | |
| SALIX babylonica. | | | | |
| 50 | 8 to 10 ft., very heavy..... | 3 50 | | |
| 125 | 6 to 8 ft., very heavy..... | 2 00 | 17 50 | |
| 95 | 5 to 6 ft., well-branched..... | 1 50 | 10 00 | |
| SPONDIAS lutea (Poupartia). | | | | |
| 55 | 10 to 12 ft., very heavy..... | 10 00 | | |
| 20 | 8 to 10 ft., very heavy..... | 8 00 | | |
| 20 | 6 to 8 ft., very heavy..... | 6 00 | | |
| TAXODIUM distichum. | | | | |
| 20 | 8 to 10 ft., very heavy, transplanted..... | 20 00 | | |
| 30 | 6 to 8 ft., very heavy, transplanted..... | 10 00 | | |
| 25 | 5 to 6 ft., very heavy, transplanted..... | 6 00 | | |
| TILIA americana. | | | | |
| 35 | 10 to 12 ft..... | 10 00 | | |
| 35 | 8 to 10 ft..... | 6 00 | | |
| 30 | 6 to 8 ft..... | 5 00 | | |
| ULMUS | | | | |
| AMERICANA (American White Elm). | | | | |
| 60 | 12 to 14 ft., 1¾ to 2 in. cal..... | 20 00 | | |
| 365 | 10 to 12 ft., 1¼ to 1½ in. cal..... | 7 50 | 60 00 | |
| 1,395 | 8 to 10 ft., 1 to 1¼ in. cal..... | 5 00 | 40 00 | \$350 00 |
| 575 | 6 to 8 ft., ¾ to 1 in. cal..... | 3 00 | 25 00 | |

BROAD-LEAVED EVERGREEN TREES AND SHRUBS

All of our Broad-leaved Evergreens are grown most carefully. Those which are grown in open ground have been several times transplanted, and when shipped are lifted with a ball of earth about the roots, which is wrapped in burlap.

All plants which are grown in pots have been several times repotted and plunged in open frames where they are given ample space. Our plants are, therefore, stocky and well-rooted.

Unless otherwise noted, all plants are from open ground. In this locality we are particularly fortunate in being able to grow such a large number of desirable broad-leaved evergreen trees and shrubs. We grow many kinds that are not hardy in the far North, also bring to perfection a large proportion of the hardy northern evergreens. The great variety of soils in our nursery permits us to grow this extensive collection.

ABELIA grandiflora.

| | | | | |
|-----|---|--------|---------|-------|
| 50 | 2 to 3 ft., strong plants from open ground..... | 10 | 100 | 1,000 |
| | | \$5 00 | | |
| 200 | 18 to 24 in., strong plants from open ground..... | 3 00 | \$25 00 | |
| 275 | 12 to 18 in., strong plants from open ground..... | 2 50 | 17 50 | |

Broad-leaved Evergreen Trees and Shrubs, continued

| | | | | |
|--|--|---------|---------|----------|
| Quantity | ARBUS Unedo (Strawberry Tree). | 10 | 100 | 1,000 |
| 40 | 18 to 24 in., heavy, from pots.... | \$10 00 | | |
| 25 | 10 to 15 in., from pots..... | 4 00 | | |
| ARDISIA | | | | |
| CRENULATA RUBRA. These are remarkably fine plants, stocky and highly colored. | | | | |
| 400 | With Berries, 12 to 15 in., 4-in. pots. | 6 00 | \$50 00 | |
| 450 | 8 to 12 in., 4-in. pots..... | 5 50 | 40 00 | |
| Without Berries | | | | |
| 300 | 8 to 12 in., 4-in. pots..... | 4 00 | 35 00 | |
| 250 | 6 to 8 in., 3½-in. pots..... | 3 00 | 25 00 | |
| AUCUBA japonica. | | | | |
| 65 | 2 to 3 ft., branched..... | 6 00 | | |
| 195 | 18 to 24 in., branched..... | 5 00 | 45 00 | |
| 500 | 12 to 15 in., branched..... | 3 50 | 30 00 | |
| 115 | 10 to 12 in., partly branched..... | 2 75 | 25 00 | |
| japonica aureo-maculata. | | | | |
| 25 | 18 to 24 in., branched..... | 6 00 | | |
| 190 | 12 to 18 in., partly branched..... | 3 00 | 27 50 | |
| AZALEA amœna. Home-grown. | | | | |
| 30 | 15 to 18 in., well-branched..... | 10 00 | | |
| 100 | 12 to 15 in., well-branched..... | 7 50 | | |
| 250 | 10 to 12 in., well-branched..... | 4 00 | 35 00 | |
| 100 | 8 to 10 in., branched..... | 3 50 | 30 00 | |
| 600 | 4 to 8 in., branched..... | 2 00 | 17 50 | |
| Hinodegiri. Home-grown. | | | | |
| 250 | 4 to 6 in., branched..... | 2 50 | 20 00 | |
| AZALEA INDICA. Home-grown. | | | | |
| All of the Indian Azaleas offered are home-grown, vigorous, and healthy. We offer about fifty fine varieties. The colors are in all shades of crimson, scarlet, purple, pink, and with exquisitely variegated mottlings, stripes, and blotches. We offer single varieties only. All of our plants are grown in summer in open ground, under partial shade, and lifted in October, when they are thoroughly matured. All plants, therefore, have a fine ball of earth about the roots and are shipped without losing a bud or leaf. | | | | |
| 225 | 12 to 15 in., well-branched..... | \$4 50 | \$40 00 | |
| 2,425 | 8 to 12 in., branched..... | 3 00 | 27 50 | \$250 00 |
| 2,000 | 6 to 8 in., branched..... | 2 50 | 20 00 | 175 00 |
| 2,000 | 4 to 6 in., branched..... | 2 00 | 17 50 | 150 00 |
| AZALEA | | | | |
| KAEMPFERI (Japanese Azalea). | | | | |
| 215 | 12 to 15 in., well-branched, well set with buds..... | 6 00 | 50 00 | |
| 145 | 8 to 12 in., well-branched..... | 4 50 | 35 00 | |
| 900 | 6 to 8 in., branched..... | 2 50 | 20 00 | |
| BERBERIS Sargentiana. | | | | |
| 125 | 12 to 15 in..... | 3 50 | | |
| BUXUS balearica. | | | | |
| 40 | 15 to 18 in., very bushy..... | 8 00 | | |
| SUFFRUTICOSA (Dwarf Box). | | | | |
| 7,000 | 4 to 6 in., very bushy..... | | 10 00 | 80 00 |
| 5,000 | 3 to 4 in., bushy..... | | 9 00 | 70 00 |
| CALLISTEMON | | | | |
| lanceolatus (Bottle-Brush). | | | | |
| 50 | From 4-in. pots..... | 5 00 | | |
| 200 | From 3-in. pots..... | 3 00 | 25 00 | |

Broad-leaved Evergreen Trees and Shrubs, continued

CAMELLIA

| Quantity | JAPONICA. Our own growing. | 10 | 100 | 1,000 |
|----------|---------------------------------------|---------|---------|-------|
| 500 | 18 to 24 in., not branched..... | \$10 00 | \$80 00 | |
| 1,000 | 15 to 18 in., not branched..... | 8 00 | 60 00 | |
| 100 | 12 to 15 in., branched..... | 6 00 | 50 00 | |
| 100 | 12 to 15 in., not branched..... | 3 75 | 35 00 | |
| 1,800 | 8 to 12 in., not branched, from pots. | 3 00 | 27 50 | |
| 2,000 | 6 to 8 in., not branched, from pots.. | 2 00 | 17 50 | |

CINNAMOMUM**CAMPHORA** (Camphor Tree).

| | | | | |
|-------|---|------|-------|--|
| 300 | 24 to 30 in., pot-grown..... | 3 00 | 25 00 | |
| 130 | 18 to 24 in., pot-grown..... | 2 50 | 20 00 | |
| 100 | 30 to 36 in., stocky, field-grown, transplanted..... | 3 00 | | |
| 400 | 24 to 30 in., stocky, field-grown, transplanted..... | 2 50 | 20 00 | |
| 2,000 | 18 to 24 in., stocky, field-grown, transplanted..... | 2 00 | 17 50 | |

CITRANGE. Grafted on *Citrus trifoliata*. Morton, Rusk, and Willet.

| | | | | |
|----|--------------------------------|------|--|--|
| 70 | 4 to 5 ft., well-branched..... | 5 00 | | |
| 80 | 3 to 4 ft., well-branched..... | 4 00 | | |

CLEYERA japonica.

| | | | | |
|-----|------------------------------------|------|-------|--|
| 45 | 15 to 18 in., from 4-in. pots..... | 5 00 | | |
| 150 | 12 to 15 in., from 3-in. pots..... | 3 50 | 30 00 | |

ELÆAGNUS Fruitlandii.

| | | | | |
|-----|--|-------|-------|--|
| 75 | 15 to 18 in., very bushy..... | 6 00 | | |
| 200 | 12 to 15 in., heavy, well-branched. | 5 00 | 40 00 | |
| 75 | 8 to 12 in., from pots..... | 3 00 | | |
| 40 | macrophylla. 12 to 18 in., from pots. | 5 00 | | |
| | pungens Simoni. | | | |
| 100 | 18 to 24 in., grafted, very bushy... | 10 00 | 80 00 | |
| 40 | 15 to 18 in., grafted, well-branched | 6 00 | | |

ERIOBOTRYA**japonica** (Japan Medlar). Giant and Palermo, grafted.

| | | | | |
|-----|-----------------------------------|------|--|--|
| 25 | 3 yrs., from pots..... | 4 00 | | |
| 60 | 2 yrs., from pots..... | 3 00 | | |
| 80 | Seedlings, 3 yrs., from pots..... | 2 25 | | |
| 100 | 2 yrs., from pots..... | 1 50 | | |

ESCALLONIA montevidensis.

| | | | | |
|----|------------------------|------|--|--|
| 27 | Strong, from pots..... | 5 00 | | |
|----|------------------------|------|--|--|

GARDENIA**florida** and **Fortunei** (Cape Jasmine).

| | | | | |
|-----|---------------------------------------|------|-------|--|
| 400 | 15 to 18 in., branched, from pots.. | 2 75 | 22 50 | |
| 740 | 12 to 15 in., branched, from pots.. | 2 50 | 20 00 | |
| | radicans (Dwarf Cape Jasmine). | | | |
| 45 | 12 to 15 in., bushy, from 4-in. pots. | 3 00 | | |
| 140 | 8 to 12 in., bushy, from 4-in. pots. | 2 50 | 20 00 | |

ILEX Aquifolium (English or European Holly).

| | | | | |
|-----|--|-------|-------|--|
| 30 | 18 to 24 in., well-branched..... | 6 00 | | |
| 50 | 12 to 18 in., strong, well-branched. | 5 00 | | |
| | opaca. | | | |
| 230 | 3 to 4 ft., branched..... | 10 00 | 80 00 | |
| 30 | 2 to 3 ft., branched..... | 5 00 | | |
| 175 | 12 to 18 in., from pots..... | 3 50 | 30 00 | |
| 35 | 8 to 12 in., from pots..... | 2 50 | | |
| | vomitorea (Cassine). | | | |
| 250 | 18 to 24 in., very bushy, from open ground..... | 3 00 | 25 00 | |
| 240 | 15 to 18 in., from pots..... | 3 00 | 25 00 | |

Broad-leaved Evergreen Trees and Shrubs, continued

Quantity

ILLICIUM anisatum (Anise Tree).

| | | | | |
|-----|--|--------|---------|-------|
| 175 | 2 to 3 ft., well-branched, from open ground..... | 10 | 100 | 1,000 |
| | | \$5 00 | \$45 00 | |
| 200 | 18 to 24 in., branched, from pots.. | 3 00 | 27 50 | |

LAUROCERASUS**CAROLINIANA** (Carolina Cherry).

| | | | | |
|-------|---|------|-------|--|
| 1,500 | 3 to 4 ft., very bushy, from open ground..... | 5 00 | 35 00 | |
| 2,000 | 2 to 3 ft., very bushy, from open ground..... | 3 00 | 25 00 | |
| 400 | 18 to 24 in., bushy, from open ground..... | 1 75 | 15 00 | |

officinalis (English or Cherry Laurel),
Bertinii, caucasica, colchica, rotundifolia and **versailensis**.

| | | | | |
|-----|----------------------------------|-------|-------|--|
| 60 | 3 to 4 ft., very bushy..... | 20 00 | | |
| 270 | 30 to 36 in., bushy..... | 10 00 | 80 00 | |
| 300 | 24 to 30 in., well-branched..... | 8 00 | 70 00 | |
| 230 | 18 to 24 in., well-branched..... | 6 00 | 50 00 | |
| 85 | 15 to 18 in., branched..... | 4 00 | 35 00 | |

LAURUS**nobilis** (Bay Tree or Spice Laurel).

| | | | | |
|-----|--|------|-------|--|
| 30 | 18 to 24 in., strong, well-branched, from open ground..... | 5 00 | | |
| 150 | 15 to 18 in., well-branched, from open ground..... | 3 50 | 30 00 | |
| 300 | 12 to 15 in., branched, from pots.. | 2 75 | 25 00 | |

regalis.

| | | | | |
|-----|-------------------------------------|------|-------|--|
| 200 | 12 to 15 in., branched, from pots.. | 2 75 | 25 00 | |
|-----|-------------------------------------|------|-------|--|

LIGUSTRUM**JAPONICUM** (Japanese Privet).

| | | | | |
|-----|---|-------|-------|--|
| 130 | 6 to 7 ft., extra-heavy, bushy specimens..... | 50 00 | | |
| 230 | 5 to 6 ft., extra-heavy, bushy specimens..... | 30 00 | | |
| 200 | 4 to 5 ft., extra-heavy, bushy..... | 20 00 | | |
| 450 | 3 to 4 ft., extra-heavy, bushy..... | 10 00 | 80 00 | |
| 270 | 2 to 3 ft., well-branched..... | 5 00 | 40 00 | |
| 130 | 18 to 24 in., well-branched..... | 3 00 | 25 00 | |

japonicum excelsum superbum.

| | | | | |
|-----|--------------------------------------|-------|-------|--|
| 25 | 3 to 4 ft., grafted, very bushy..... | 15 00 | | |
| 100 | 2 to 3 ft., grafted, well-branched.. | 6 00 | 50 00 | |
| 190 | 18 to 24 in., grafted, well-branched | 4 00 | 35 00 | |

| | | | | |
|-----|---|------|--|--|
| 145 | lucidum . 15 to 18 in., well-branched. | 5 00 | | |
|-----|---|------|--|--|

japonicum macrophyllum.

| | | | | |
|----|-----------------------------|------|--|--|
| 50 | 12 to 15 in., branched..... | 5 00 | | |
|----|-----------------------------|------|--|--|

JAPONICUM MARGINATUM**AUREUM**.

| | | | | |
|-----|--|-------|--------|--|
| 30 | 4 to 5 ft., grafted, very bushy specimens..... | 20 00 | | |
| 130 | 3 to 4 ft., grafted, very bushy..... | 15 00 | 100 00 | |
| 125 | 2 to 3 ft., grafted, well-branched.. | 6 00 | 50 00 | |
| 370 | 18 to 24 in., grafted, well-branched | 4 00 | 35 00 | |

nepalense.

| | | | | |
|-----|-------------------------------|-------|-------|--|
| 125 | 24 to 30 in., very bushy..... | 10 00 | 80 00 | |
| 475 | 18 to 24 in., very bushy..... | 5 00 | 40 00 | |
| 125 | 15 to 18 in., very bushy..... | 4 00 | 30 00 | |

MAGNOLIA GRANDIFLORA.

| | | | | |
|-----|--|-------|--------|--|
| 300 | 5 to 6 ft., well-branched, from open ground..... | 12 50 | 100 00 | |
| 700 | 4 to 5 ft., well-branched, from open ground..... | 8 00 | 70 00 | |

Broad-leaved Evergreen Trees and Shrubs, continued

Magnolia grandiflora, continued

| Quantity | | 10 | 100 | 1,000 |
|----------|--|--------|---------|-------|
| 750 | 3 to 4 ft., well-branched, from open ground..... | \$6 00 | \$50 00 | |
| 750 | 2 to 3 ft., branched, from open ground..... | 4 00 | 35 00 | |
| 300 | 2 to 3 ft., branched, from pots.... | 5 00 | 40 00 | |
| 600 | 15 to 20 in., from pots..... | 3 00 | 27 50 | |
| 125 | 12 to 15 in., from pots..... | 2 25 | 20 00 | |

MAHONIA**Aquifolium** (Holly-leaved Ashberry).

| | | | | |
|-----|---|------|-------|--|
| 100 | 12 to 18 in., branched..... | 2 00 | | |
| 60 | japonica (<i>Berberis japonica</i>), 12 to 18 in., from open ground.... | 3 00 | | |
| 700 | 8 to 10 in., from pots..... | 1 75 | 15 00 | |

MICHELIA fuscata (Banana Shrub).

| | | | | |
|-----|---|-------|-------|--|
| 100 | 36 to 40 in., very bushy, from open ground..... | 30 00 | | |
| 145 | 30 to 36 in., very bushy, from open ground..... | 25 00 | | |
| 170 | 24 to 30 in., very bushy, from open ground..... | 15 00 | | |
| 30 | 18 to 24 in., very bushy, from open ground..... | 10 00 | | |
| 140 | 15 to 18 in., well-branched, from pots..... | 5 00 | 40 00 | |
| 200 | 12 to 15 in., branched, from pots.. | 3 00 | 25 00 | |
| 125 | 10 to 12 in., branched, from pots.. | 2 50 | 20 00 | |
| 100 | 8 to 10 in., branched, from pots... | 1 75 | 15 00 | |

NERIUM (Oleander).

| | | | | |
|-----|---|------|-------|--|
| 50 | 3 to 4 ft., heavy, well-branched, from open ground..... | 6 00 | | |
| 800 | 30 to 36 in., well-branched, from open ground..... | 5 00 | 40 00 | |
| 500 | 15 to 20 in., from pots..... | 2 50 | 20 00 | |

Cardinal. Single; crimson.

Mme. Peyre. Very double; triple corolla; pale flesh.

Prof. Parlatorre. Pink; double corolla.

Semi-double White.

Single White.

Splendens. Double; deep pink.

OSMANTHUS**Fortunei** (Holly-leaved Tea Olive).

| | | | | |
|-----|---|------|-------|--|
| 120 | 12 to 15 in., well-branched, from pots..... | 3 50 | 30 00 | |
| 200 | 10 to 12 in., branched, from pots.. | 3 00 | 25 00 | |

fragrans (Tea Olive).

| | | | | |
|-----|---|-------|-------|--|
| 40 | 24 to 30 in., very bushy, from open ground..... | 15 00 | | |
| 150 | 15 to 18 in., from pots..... | 5 00 | 40 00 | |
| 300 | 12 to 15 in., from pots..... | 3 00 | 27 50 | |
| 100 | 8 to 10 in., from pots..... | 2 00 | 17 50 | |

PHOTINIA serrulata.

| | | | | |
|-----|------------------------------------|------|-------|--|
| 100 | 4 to 5 ft., very heavy, budded.... | 8 00 | | |
| 415 | 3 to 4 ft., very heavy, budded.... | 6 00 | 50 00 | |
| 125 | 2 to 3 ft., heavy, budded..... | 4 50 | 40 00 | |

PITTOSPORUM Tobira.

| | | | | |
|-----|---|-------|--|--|
| 50 | 3 to 4 ft., very bushy, from open ground..... | 20 00 | | |
| 100 | 30 to 36 in., bushy, from open ground..... | 15 00 | | |
| 100 | 24 to 30 in., bushy, from open ground..... | 10 00 | | |
| 70 | 18 to 24 in., bushy, from open ground..... | 6 00 | | |

Broad-leaved Evergreen Trees and Shrubs, continued

Pittosporum Tobira, continued

| | | | | |
|---------------------------|--|--------|-----|-------|
| Quantity | | | | |
| 70 | 15 to 18 in., well-branched, from open ground..... | 10 | 100 | 1,000 |
| | | \$5 00 | | |
| 50 | 12 to 15 in., branched, from open ground..... | 3 00 | | |
| Tobira variegatum. | | | | |
| 20 | 18 to 24 in., very bushy, from open ground..... | 10 00 | | |
| 35 | 15 to 18 in., well-branched, from open ground..... | 6 00 | | |
| 140 | 12 to 15 in., branched, from open ground..... | 4 00 | | |

QUERCUS

acuta (Japanese Evergreen Oak).

| | | | | |
|----|---|-------|--|--|
| 35 | 4 to 6 ft., heavy, well-branched, from open ground..... | 12 50 | | |
| 35 | 3 to 4 ft., transplanted from open ground..... | 5 00 | | |
| 40 | 2 to 3 ft., transplanted from open ground..... | 3 00 | | |

LAURIFOLIA DARLINGTONII (Darlington Oak). Transplanted.

| | | | | |
|-------|-------------------------------------|-------|---------|--|
| 90 | 12 to 14 ft., 1¾ to 2 in. cal..... | 20 00 | | |
| 110 | 10 to 12 ft., 1¼ to 1½ in. cal..... | 10 00 | | |
| 450 | 8 to 10 ft., 1 to 1¼ in. cal..... | 6 00 | \$50 00 | |
| 1,275 | 6 to 8 ft., ¾ to 1 in. cal..... | 4 00 | 35 00 | |
| 1,200 | 5 to 6 ft..... | 3 50 | 30 00 | |

virginiana (Live Oak). Transplanted.

| | | | | |
|-----|---------------------------------|------|--|--|
| 100 | 6 to 8 ft., ¾ to 1 in. cal..... | 6 00 | | |
| 100 | 5 to 6 ft., branched..... | 4 00 | | |

TRACHYCARPUS

Fortunei (*Chamærops Fortunei*).

| | | | | |
|-----|--------------------------------|------|-------|--|
| 50 | 18 to 24 in., extra heavy..... | 7 50 | | |
| 250 | 15 to 18 in., strong..... | 5 00 | 40 00 | |
| 235 | 12 to 15 in., strong..... | 3 50 | 30 00 | |

VIBURNUM odoratissimum.

| | | | | |
|-----|--|------|--|--|
| 140 | 18 to 24 in., well-branched, from open ground..... | 6 00 | | |
| 100 | 15 to 18 in., from pots and open ground..... | 3 50 | | |
| 40 | suspensum. 12 to 15 in., from pots.. | 3 50 | | |

Tinus (*Laurustinus*).

| | | | | |
|-----|------------------------------|------|-------|--|
| 200 | 20 to 24 in., from pots..... | 6 00 | 50 00 | |
| 600 | 15 to 20 in., from pots..... | 4 50 | 40 00 | |
| 200 | 12 to 15 in., from pots..... | 3 00 | 27 50 | |
| 500 | 8 to 12 in., from pots..... | 2 50 | 20 00 | |

YUCCA filamentosa.

| | | | | |
|-----|--|------|-------|--|
| 150 | 4 and 5 yrs., strong, transplanted.. | 2 50 | 20 00 | |
| 35 | gloriosa. 4 yrs., strong, transplanted. | 5 00 | | |

CLIMBERS

ACTINIDIA chinensis.

| | | | | |
|----|--------------------------------|------|--|--|
| 70 | Strong plants, 3-in. pots..... | 2 50 | | |
|----|--------------------------------|------|--|--|

AKEBIA quinata.

| | | | | |
|-----|-------------------------------------|------|-------|--|
| 315 | 3 yrs., from open ground..... | 1 50 | 12 50 | |
| 325 | 2 yrs., from pots..... | 1 25 | 10 00 | |
| 30 | lobata. From 3-in. pots..... | 1 50 | | |

AMPELOPSIS Henryana.

| | | | | |
|-----|---|------|-------|--|
| 315 | 3 yrs., extra strong, field-grown... quinquefolia (Virginia Creeper). | 1 75 | 15 00 | |
| 100 | 3 yrs., extra strong, field-grown... quinquefolia (Virginia Creeper). | 1 15 | | |

| Quantity | | Climbers, continued | | |
|---|---|---------------------|---------|---------|
| BIGNONIA capreolata (Cross-Vine). | | | | |
| 200 | 3 yrs., strong clumps, from open ground..... | 10 | 100 | 1,000 |
| | | \$2 25 | \$20 00 | |
| 240 | 2 yrs., strong, from 3-in. pots..... | 1 50 | 12 50 | |
| hybrida. This variety is hardy in Washington. | | | | |
| 430 | 4 yrs., extra heavy, grafted..... | 4 00 | 30 00 | |
| 180 | 3 yrs., extra heavy, grafted..... | 2 75 | 25 00 | |
| ELÆAGNUS pungens reflexa. | | | | |
| 25 | 4 to 5 ft., very bushy specimens from open ground..... | 15 00 | | |
| 175 | 2 to 3 ft., heavy, well-branched, from open ground..... | 5 00 | 45 00 | |
| 55 | 18 to 24 in., strong, from open ground..... | 3 00 | | |
| 190 | 15 to 18 in., strong, from open ground and pots..... | 2 50 | 20 00 | |
| EUONYMUS radicans. | | | | |
| 600 | 24 to 30 in., extra-heavy, field-grown clumps..... | 3 00 | 25 00 | |
| 450 | 18 to 24 in., strong, field-grown clumps..... | 2 50 | 22 50 | |
| 700 | 12 to 18 in., strong, field-grown clumps..... | 2 00 | 15 00 | |
| radicans variegata. | | | | |
| 200 | 18 to 24 in., extra-heavy, field-grown clumps..... | 2 50 | 22 50 | |
| 525 | 12 to 18 in., strong, field-grown clumps..... | 2 00 | 15 00 | |
| GELSEMIUM | | | | |
| sempervirens flore-pleno (Double Yellow Jasmine). | | | | |
| 145 | 3 yrs., extra-strong clumps..... | 5 00 | | |
| 125 | 2 yrs., strong plants..... | 2 50 | | |
| HEDERA helix (English Ivy). | | | | |
| 650 | 3-in. pots, strong..... | 1 50 | 12 50 | |
| JASMINUM PRIMULINUM (New Chinese Jasmine). | | | | |
| 500 | 4 to 5 ft., extra-strong clumps..... | 2 50 | 20 00 | |
| 400 | 3 to 4 ft., strong clumps..... | 2 00 | 15 00 | |
| KADSURA japonica. | | | | |
| 175 | From 3- and 3½-in. pots, strong.. | 2 75 | 25 00 | |
| LONICERA Heckrottii. | | | | |
| 150 | 3 yrs., strong..... | 2 00 | 15 00 | |
| 900 | japonica (Halliana). 3 yrs., strong.. | 1 50 | 12 50 | |
| TRACHELOSPERMUM | | | | |
| jasminoides (<i>Rhynchospermum jasminoides</i>). | | | | |
| 650 | From 3½-in. pots, strong..... | 2 00 | 17 50 | |
| VINCA | | | | |
| major (Periwinkle, or Trailing Myrtle). | | | | |
| 1,500 | Strong clumps from open ground.. | 1 00 | 6 00 | \$50 00 |
| minor. | | | | |
| 400 | Strong clumps from open ground.. | 1 00 | 6 00 | |
| WISTERIA chinensis. | | | | |
| 125 | 3 yrs., heavy, grafted..... | 3 00 | 27 50 | |
| 50 | 2 yrs., heavy, grafted..... | 2 00 | | |
| 120 | chinensis alba. 2 yrs., heavy, grafted. | 2 00 | 17 50 | |
| chinensis flore-pleno. | | | | |
| 90 | 2 yrs., heavy, grafted..... | 2 00 | | |
| 60 | multijuga. 2 yrs., heavy, grafted.... | 2 00 | | |

GRASSES

CORTADERIA (Pampas Grass).

Quantity ARGENTEA.

| | | | | |
|-----------------------|-----------------------------------|---------|----------|-------|
| 700 | Extra-heavy clumps, 18 in. diam., | 10 | 100 | 1,000 |
| | from open ground | \$15 00 | \$125 00 | |
| 50 | Extra-heavy clumps, 12 to 15 in. | | | |
| | diam., from open ground | 12 50 | | |
| 200 | Heavy clumps, 8 in. diam., from | | | |
| | open ground | 5 00 | 45 00 | |
| Roi des Roses. | | | | |
| 35 | Extra-heavy clumps, 18 in. diam., | | | |
| | from open ground | 15 00 | | |
| 30 | Extra-heavy clumps, 12 to 15 in. | | | |
| | diam., from open ground | 5 00 | | |

MISCANTHUS (Eulalia).**SINENSIS GRACILLIMUS.**

| | | | | |
|-----|-----------------------------------|-------|--|--|
| 75 | Extra-heavy clumps, 18 in. diam., | | | |
| | from open ground | 15 00 | | |
| 100 | Extra-heavy clumps, 12 to 15 in. | | | |
| | diam., from open ground | 12 50 | | |

sinensis variegatus.

| | | | | |
|----|-----------------------------------|-------|--|--|
| 40 | Extra-heavy clumps, 12 to 15 in. | | | |
| | diam., from open ground | 12 50 | | |

sinensis zebrinus.

| | | | | |
|----|-----------------------------------|-------|--|--|
| 50 | Extra-heavy clumps, 18 in. diam., | | | |
| | from open ground | 15 00 | | |
| 70 | Extra-heavy clumps, 12 to 15 in. | | | |
| | diam., from open ground | 12 50 | | |

CONIFEROUS EVERGREENS

It is an undisputed fact that we grow the largest and most varied stock of coniferous evergreens in the southern states, and especially do we give attention to such varieties as are best adapted to this warmer climate. We also grow large quantities of hardy varieties of *Chamaecyparis*, *Cupressus*, *Juniperus*, Pines, and *Thuyas* adapted to the northern parts of the country. All of our conifers have been several times transplanted. All plants are shipped with a ball of earth about the roots which is wrapped in burlap.

CEDRUS

| | | | | |
|---------------------------------------|----------------------|---------|---------|--|
| ATLANTICA (Mount Atlas Cedar). | | 10 | 100 | |
| 50 | 24 to 30 in. | \$10 00 | | |
| 400 | 18 to 24 in. | 7 50 | \$60 00 | |
| 125 | 15 to 18 in. | 5 00 | 40 00 | |
| Deodara (Himalayan Cedar). | | | | |
| 65 | 18 to 24 in. | 6 00 | | |
| 45 | 15 to 18 in. | 5 00 | | |
| Libani (Cedar of Lebanon.) | | | | |
| 70 | 15 to 18 in. | 7 50 | | |
| 20 | 12 to 15 in. | 5 00 | | |

CEPHALOTAXUS drupacea.

| | | | | |
|---------------------------------|--|-------|-------|--|
| 140 | 12 to 18 in. spread, from pots | 3 50 | 30 00 | |
| Fortunei. | | | | |
| 30 | 3 to 4 ft., extra heavy | 15 00 | | |
| 75 | 30 to 36 in., heavy | 8 00 | | |
| 100 | 24 to 30 in., heavy | 5 00 | | |
| 70 | 18 to 24 in. | 3 50 | | |
| Harringtonia. | | | | |
| 100 | 15 to 18 in., branched | 5 00 | | |
| 165 | 12 to 15 in., branched | 3 50 | 30 00 | |
| Harringtonia fastigiata. | | | | |
| 50 | 24 to 30 in., very heavy | 7 50 | | |
| 50 | 18 to 24 in., well-branched | 4 00 | | |
| 150 | 15 to 18 in., well-branched | 3 00 | 25 00 | |
| 300 | 12 to 15 in. | 2 50 | 20 00 | |

Coniferous Evergreens, continued

CHAMÆCYPARIS

| Quantity | Lawsoniana (<i>Cupressus Lawsoniana</i>). | 10 | 100 |
|----------|---|---------|----------|
| 50 | 5 to 6 ft., very compact..... | \$30 00 | |
| 140 | 4 to 5 ft., very compact..... | 20 00 | \$175 00 |
| 180 | 3 to 4 ft., very compact..... | 12 50 | 100 00 |
| 60 | 2 to 3 ft., compact..... | 5 00 | |

PISIFERA.

| | | | |
|-----|---------------------------------|-------|-------|
| 6 | 4 to 5 ft., very compact..... | 35 00 | |
| 10 | 3 to 4 ft., very compact..... | 25 00 | |
| 12 | 30 to 36 in., very compact..... | 15 00 | |
| 30 | 18 to 24 in., compact..... | 6 00 | |
| 80 | 15 to 18 in., compact..... | 5 00 | |
| 300 | 12 to 15 in., compact..... | 3 00 | 27 50 |
| 500 | 10 to 12 in., compact..... | 2 50 | 22 50 |
| 900 | 8 to 10 in..... | 2 00 | 17 50 |
| 250 | 6 to 8 in..... | 1 75 | 15 00 |
| 300 | 4 to 6 in..... | | 10 00 |

pisifera argentea.

| | | | |
|-----|--|-------|-------|
| 20 | 30 to 36 in., very compact, sheared..... | 50 00 | |
| 40 | 24 to 30 in., very compact, sheared..... | 20 00 | |
| 95 | 18 to 24 in., very compact, sheared..... | 15 00 | |
| 150 | 15 to 18 in., very compact, sheared..... | 9 00 | 80 00 |
| 150 | 12 to 15 in., compact, sheared..... | 6 00 | 50 00 |
| 120 | 10 to 12 in., compact, sheared..... | 5 00 | 40 00 |

PISIFERA AUREA.

| | | | |
|-----|--|-------|-------|
| 18 | 4 to 5 ft., very compact, sheared..... | 40 00 | |
| 10 | 3 to 4 ft., very compact, sheared..... | 25 00 | |
| 65 | 2 to 3 ft., very compact, sheared..... | 15 00 | |
| 165 | 18 to 24 in., very compact, sheared..... | 8 00 | 60 00 |
| 280 | 15 to 18 in., very compact, sheared..... | 5 00 | 40 00 |
| 350 | 12 to 15 in., compact..... | 4 00 | 35 00 |
| 400 | 10 to 12 in., compact..... | 2 50 | 22 50 |
| 580 | 8 to 10 in., compact..... | 2 00 | 17 50 |
| 300 | 6 to 8 in., compact..... | 1 75 | 15 00 |

pisifera filifera.

| | | | |
|----|---|-------|--|
| 8 | 6 to 7 ft., compact, sheared specimens..... | 50 00 | |
| 8 | 5 to 6 ft., compact, sheared specimens..... | 40 00 | |
| 14 | 3 to 4 ft., compact, sheared specimens..... | 25 00 | |

pisifera filifera aurea.

| | | | |
|----|---------------------------------|-------|--|
| 10 | 3 to 4 ft., very compact..... | 25 00 | |
| 50 | 24 to 30 in., very compact..... | 15 00 | |
| 25 | 18 to 24 in., compact..... | 12 50 | |
| 10 | 15 to 18 in., compact..... | 10 00 | |

pisifera filifera aurea Fulleri.

| | | | |
|-----|------------------------------------|-------|-------|
| 11 | 5 to 6 ft., compact specimens..... | 45 00 | |
| 12 | 4 to 5 ft., compact specimens..... | 30 00 | |
| 15 | 2 to 3 ft., compact..... | 15 00 | |
| 20 | 18 to 24 in., compact..... | 10 00 | |
| 55 | 15 to 18 in., compact..... | 6 00 | |
| 45 | 12 to 15 in., compact..... | 4 00 | |
| 115 | 8 to 12 in., compact..... | 2 50 | 20 00 |

pisifera plumosa.

| | | | |
|-----|-------------------------------------|-------|-------|
| 30 | 4 to 5 ft., compact, sheared..... | 35 00 | |
| 85 | 3 to 4 ft., compact, sheared..... | 25 00 | |
| 25 | 30 to 36 in., compact, sheared..... | 15 00 | |
| 75 | 24 to 30 in., compact, sheared..... | 12 50 | |
| 120 | 18 to 24 in., compact, sheared..... | 6 00 | |
| 50 | 15 to 18 in., compact, sheared..... | 5 00 | |
| 75 | 12 to 15 in., compact, sheared..... | 3 00 | |
| 125 | 10 to 12 in., compact..... | 2 50 | 22 50 |
| 170 | 8 to 10 in., compact..... | 2 00 | 17 50 |

pisifera plumosa aurea.

| | | | |
|----|-------------------------------------|-------|--|
| 15 | 30 to 36 in., compact, sheared..... | 15 00 | |
| 80 | 18 to 24 in., compact, sheared..... | 6 00 | |
| 40 | 15 to 18 in., compact, sheared..... | 5 00 | |

Coniferous Evergreens, continued

Chamæcyparis pisifera plumosa aurea, continued

| Quantity | | 10 | 100 |
|--------------------------------------|--|--------|---------|
| 80 | 12 to 15 in., compact..... | \$3 00 | |
| 340 | 10 to 12 in., compact..... | 2 50 | \$22 50 |
| 500 | 8 to 10 in..... | 2 00 | 17 50 |
| <i>pisifera squarrosa Sieboldii.</i> | | | |
| 15 | 30 to 36 in., very compact..... | 15 00 | |
| 18 | 18 to 24 in., very compact..... | 6 00 | |
| 20 | 12 to 15 in., compact..... | 3 00 | |
| <i>pisifera squarrosa Veitchii.</i> | | | |
| 40 | 2 to 3 ft., very compact, sheared..... | 15 00 | |
| 110 | 18 to 24 in., very compact, sheared..... | 7 50 | 60 00 |
| 320 | 15 to 18 in., very compact, sheared..... | 5 00 | 40 00 |
| 150 | 12 to 15 in., compact..... | 4 00 | 35 00 |

CUNNINGHAMIA lanceolata (sinensis).

| | | | |
|----|------------------------------|-------|--|
| 25 | 18 to 24 in., from pots..... | 12 50 | |
| 25 | 12 to 18 in., from pots..... | 10 00 | |

CUPRESSUS sempervirens, Roylii, and stricta.

| | | | |
|-----|------------------|-------|-------|
| 20 | 4 to 5 ft..... | 12 50 | |
| 50 | 3 to 4 ft..... | 10 00 | |
| 50 | 2 to 3 ft..... | 6 00 | |
| 30 | 18 to 24 in..... | 5 00 | |
| 100 | 12 to 15 in..... | 3 00 | 25 00 |

JUNIPERUS chinensis albo-variegata.

| | | | |
|----|---|--------|--|
| 10 | 6 to 7 ft., very compact specimens..... | 100 00 | |
| 14 | 5 to 6 ft., very compact specimens..... | 75 00 | |
| 22 | 4 to 5 ft., very compact specimens..... | 60 00 | |
| 19 | 18 to 24 in., very compact specimens..... | 12 50 | |
| 90 | 12 to 15 in., compact..... | 3 00 | |
| 30 | 10 to 12 in., compact..... | 2 50 | |

COMMUNIS.

| | | | |
|-----|-------------------------------|-------|-------|
| 65 | 4 to 5 ft., very compact..... | 17 50 | |
| 80 | 3 to 4 ft., very compact..... | 10 00 | |
| 200 | 2 to 3 ft., very compact..... | 6 00 | 50 00 |
| 200 | 18 to 24 in., compact..... | 3 50 | 32 50 |
| 200 | 15 to 18 in., compact..... | 3 00 | 25 00 |

communis aurea.

| | | | |
|----|---------------------------------------|-------|--|
| 55 | 30- to 36-in. spread, very heavy..... | 15 00 | |
| 45 | 24- to 30-in. spread, very heavy..... | 10 00 | |
| 10 | 12- to 15-in. spread..... | 5 00 | |

communis hibernica.

| | | | |
|----|--------------------------|-------|--|
| 25 | 3 to 4 ft., compact..... | 10 00 | |
| 40 | 2 to 3 ft., compact..... | 5 00 | |
| 25 | 18 to 24 in..... | 3 50 | |
| 40 | 8 to 10 in..... | 1 50 | |

25 *communis oblonga.* 15- to 18-in. spread..... 5 00

50 *Sabina.* 10- to 15-in. spread..... 5 00

50 *Sabina tamariscifolia.* 10- to 15-in. spread... 5 00

squamata.

| | | | |
|----|----------------------------------|-------|--|
| 30 | 18- to 24-in. spread, heavy..... | 10 00 | |
| 45 | 10- to 15-in. spread..... | 6 00 | |

LIBOCEDRUS decurrens (Incense Cedar).

| | | | |
|-----|---------------------------------|-------|-------|
| 50 | 24 to 30 in., very compact..... | 10 00 | |
| 125 | 15 to 18 in., stocky..... | 7 50 | 60 00 |
| 40 | 15 to 18 in., stocky..... | 5 00 | |

PINUS DENSIFLORA (Japanese Red Pine).

| | | | |
|-------------------------------|----------------------------------|-------|-------|
| 460 | 2 to 3 ft., well branched..... | 6 00 | 50 00 |
| 150 | 18 to 24 in., branched..... | 5 00 | 40 00 |
| <i>excelsa (Bhotan Pine).</i> | | | |
| 120 | 2 to 3 ft., branched..... | 10 00 | 80 00 |
| 100 | 18 to 24 in., branched..... | 7 50 | 60 00 |
| 35 | 12 to 15 in..... | 3 50 | |
| 20 | <i>montana.</i> 12 to 18 in..... | 6 00 | |

Coniferous Evergreens, continued

| Quantity | Pinus Pinaster (Cluster Pine). | 10 | 100 |
|----------|--------------------------------|---------|---------|
| 50 | 3 to 4 ft., branched..... | \$20 00 | |
| 250 | 2 to 3 ft..... | 6 00 | \$50 00 |

THUYA occidentalis.

| | | | |
|-----|----------------------------|------|-------|
| 100 | 18 to 24 in., compact..... | 6 00 | |
| 150 | 12 to 15 in., compact..... | 3 00 | 25 00 |

occidentalis elegantissima.

| | | | |
|----|----------------------------|------|--|
| 20 | 15 to 18 in., compact..... | 5 00 | |
| 80 | 10 to 15 in., compact..... | 3 50 | |
| 50 | 8 to 10 in..... | 2 50 | |

occidentalis globosa.

| | | | |
|----|---------------------------------|-------|--|
| 10 | 18 to 24 in., very compact..... | 12 50 | |
| 25 | 12 to 15 in., very compact..... | 5 00 | |
| 75 | 10 to 12 in., compact..... | 4 00 | |
| 50 | 8 to 10 in..... | 1 75 | |

occidentalis plicata (Lobb's Arborvitæ).

| | | | |
|----|----------------------------|------|--|
| 38 | 15 to 18 in., compact..... | 5 00 | |
|----|----------------------------|------|--|

occidentalis pumila.

| | | | |
|-----|---------------------------------|------|-------|
| 25 | 15 to 18 in., very compact..... | 6 00 | |
| 65 | 12 to 15 in., very compact..... | 5 00 | |
| 90 | 10 to 12 in., very compact..... | 3 50 | |
| 100 | 8 to 10 in..... | 2 50 | 20 00 |
| 60 | 6 to 8 in..... | 1 50 | |

occidentalis Reidii.

| | | | |
|-----|---------------------------------|-------|-------|
| 20 | 24 to 30 in., very compact..... | 12 50 | |
| 45 | 18 to 24 in., compact..... | 7 50 | |
| 140 | 12 to 18 in., compact..... | 5 00 | 40 00 |
| 110 | 10 to 12 in., compact..... | 3 50 | 30 00 |

ORIENTALIS AUREA CONSPICUA.

| | | | |
|-----|---|-------|--------|
| 25 | 5 to 6 ft., very compact specimens..... | 40 00 | |
| 50 | 4 to 5 ft., very compact specimens..... | 30 00 | |
| 500 | 3 to 4 ft., compact..... | 12 50 | 100 00 |
| 175 | 30 to 36 in., compact..... | 10 00 | 75 00 |
| 335 | 24 to 30 in., compact..... | 6 00 | 50 00 |
| 50 | 12 to 15 in., compact..... | 3 00 | |

orientalis aurea nana.

| | | | |
|-------|---|-------|--------|
| 165 | 30 to 36 in., very compact specimens..... | 20 00 | 175 00 |
| 1,300 | 20 to 24 in., very compact..... | 7 50 | 60 00 |
| 200 | 8 to 10 in., compact..... | 2 50 | 20 00 |

ORIENTALIS AUREA PYRAMIDALIS.

| | | | |
|-----|---|-------|--------|
| 65 | 5 to 6 ft., very compact specimens..... | 40 00 | |
| 675 | 4 to 5 ft., very compact specimens..... | 20 00 | 150 00 |
| 340 | 3 to 4 ft., compact specimens..... | 10 00 | 75 00 |
| 180 | 30 to 36 in., compact specimens..... | 8 00 | 65 00 |
| 400 | 18 to 24 in., compact..... | 4 00 | 35 00 |
| 200 | 12 to 18 in., compact..... | 2 50 | 20 00 |

orientalis pyramidalis.

| | | | |
|-----|------------------------------------|-------|--------|
| 50 | 5 to 6 ft., compact specimens..... | 30 00 | |
| 250 | 4 to 5 ft., compact specimens..... | 22 50 | 200 00 |
| 215 | 3 to 4 ft., compact..... | 15 00 | 125 00 |

This is a very beautiful compact form.

Has stood 25° below zero. Retains green color during winter.

Specimen Conifers

We have some very handsome conifers, such as *Chamæcyparis pisifera plumosa*, *Chamæcyparis pisifera plumosa aurea*, *Thuya orientalis aurea conspicua*, *Thuya orientalis aurea pyramidalis*, *Thuya orientalis Sieboldii*, *Thuya occidentalis Reidii*, etc. Many of these specimens are over twenty-five years of age. As the plants have been several times transplanted they lift readily with a large ball of earth about the roots. Prices and specifications upon application.

ROSES

Strong Field-Grown

For many years our Roses have been noted for their sturdiness and unusual vigor. Roses grown at Augusta are giving splendid results as far north as Canada.

The soil here is especially adapted to developing the Rose properly. Our one-year, field-grown plants equal the average two-year field-grown plants of the North and West.

NOTE.—The letter following the name of the rose denotes the class to which it belongs, viz: (T.) Tea, (H.T.) Hybrid Tea, (C.) China, (H. P.) Hybrid Perpetual, (N.) Noisette, (Poly.) Polyantha, (R.) Rugosa, (W.) Wichuraiana, (B.) Bourbon, (H.W.) Hybrid Wichuraiana.

Budded on Manetti

| | Price per 100 |
|--|------------------|
| 195 American Beauty, H. P. 1 year..... | \$15 00 |
| 110 American Beauty, Climbing, Cl. H. P. 1 year..... | 15 00 |
| 40 2 years..... | 18 00 |
| 100 Baronne Rothschild, H. P. 2 years..... | 18 00 |
| 55 British Queen, H.T. 1 year..... | 15 00 |
| 80 Captain Christy, H.T. 1 year..... | 15 00 |
| 90 Etoile de France, H.T. 1 year..... | 15 00 |
| 25 Etoile de Lyon, T. 2 years..... | 18 00 |
| 390 Frau Karl Druschki, H. P. 1 year..... | 15 00 |
| 225 2 years..... | 18 00 |
| 40 Jonkheer J. L. Mock, H.T. 1 year..... | 15 00 |
| 40 Kaiserin Augusta Victoria, Climbing, Cl. H.T. 1 year... | 15 00 |
| 25 2 years... | 18 00 |
| 125 Killarney, H.T. 1 year..... | 15 00 |
| 200 2 years..... | 18 00 |
| 100 Lady Pirrie, H.T. 1 year..... | 15 00 |
| 60 2 years..... | 18 00 |
| 70 La France, H.T. 1 year..... | 15 00 |
| 40 2 years..... | 18 00 |
| 190 Marechal Niel, N. 1 year..... | 15 00 |
| 60 2 years..... | 18 00 |
| 60 Meteor, Climbing, Cl. H.T. 1 year..... | 15 00 |
| 20 2 years..... | 18 00 |
| 100 Mme. Caroline Testout, H.T. 1 year..... | 15 00 |
| 55 2 years..... | 18 00 |
| 30 Mme. Eugene Maratt, B. 1 year..... | 15 00 |
| 50 2 years..... | 18 00 |
| 30 Perle des Jardins, T. 1 year..... | 15 00 |
| 40 Perle des Jardins, Climbing, Cl. T. 1 year..... | 15 00 |
| 20 2 years..... | 18 00 |
| 30 Pillar of Gold, Cl.T. 1 year..... | 15 00 |
| 20 2 years..... | 18 00 |
| 770 Pink Cherokee. 1 year..... | 15 00 |
| 345 2 years..... | 18 00 |
| 40 President Taft, H.T. 1 year..... | 15 00 |
| 20 2 years..... | 18 00 |
| 240 Reine Marie Henriette, H.T. 1 year..... | 15 00 |
| 115 2 years..... | 18 00 |
| 175 Reve d'Or, N. 1 year..... | 15 00 |
| 100 2 years..... | 18 00 |
| 40 Robin Hood, H.T. 1 year..... | 15 00 |
| 75 2 years..... | 18 00 |
| 50 Solfaterre, N. 1 year..... | 15 00 |
| 40 2 years..... | 18 00 |
| 65 Souv. de la Malmaison, Climbing, Cl. B. 1 year..... | 15 00 |
| 85 2 years..... | 18 00 |
| 25 White Killarney, H.T. 2 years..... | 18 00 |
| 20 Wm. Allen Richardson, N. 1 year..... | 15 00 |
| 5 2 years..... | 18 00 |
| 30 Souv. of Wootten, Climbing, Cl. H.T. 1 year..... | 15 00 |
| 10 2 years..... | 18 00 |

Roses on Own Roots

| | Price per 100 |
|---|------------------|
| 110 Antoine Rivoire, H.T. 2 years | \$15 00 |
| 15 Archduke Charles, Bengal. 1 year | 13 50 |
| 30 2 years | 15 00 |
| 50 Banksia, White. 2 years | 15 00 |
| 300 Blumenschmidt, T. 2 years | 15 00 |
| 75 British Queen, H.T. 2 years | 15 00 |
| 290 Clotilde Soupert, Climbing, Cl. Poly. 2 years | 13 50 |
| 140 Col. R. S. Williamson, H.T. 2 years | 15 00 |
| 110 Dean Hole, H.T. 2 years | 15 00 |
| 400 Dorothy Perkins, W. 2 years | 12 50 |
| 300 Etoile de France, H.T. 2 years | 15 00 |
| 390 Etoile de Lyon, T. 2 years | 15 00 |
| 100 Freiherr von Marschall, T. 2 years | 15 00 |
| 180 F. R. Patzer, H.T. 2 years | 15 00 |
| 80 General MacArthur, H.T. 2 years | 15 00 |
| 75 Hiawatha, H.W. 2 years | 15 00 |
| 160 Helen Gould, H.T. 2 years | 15 00 |
| 250 Herzogin Maria Antoinette, H.T. 2 years | 15 00 |
| 85 Hugo Roller, T. 2 years | 15 00 |
| 200 Jonkheer J. L. Mock, H.T. 2 years | 15 00 |
| 40 Kaiserin Augusta Victoria, H.T. 1 year | 13 50 |
| 225 2 years | 15 00 |
| 20 Kaiserin Augusta Victoria, Climbing, Cl. H.T. 1 year | 13 50 |
| 150 2 years | 15 00 |
| 150 Lady Gay, H.W. 2 years | 12 50 |
| 160 Lady Hillingdon, T. 2 years | 15 00 |
| 100 La France, H.T. 2 years | 15 00 |
| 240 La Tosca, H.T. 2 years | 15 00 |
| 300 Maman Cochet, T. 2 years | 15 00 |
| 135 Marie Van Houtte, T. 2 years | 15 00 |
| 160 Marshall P. Wilder, H. P. 2 years | 15 00 |
| 140 Meteor, H.T. 2 years | 15 00 |
| 110 Mlle. Blanche Martignat, T. 2 years | 15 00 |
| 40 Mme. Caroline Testout, H.T. 1 year | 13 50 |
| 150 Mme. Eugene Maratt, B. 2 years | 15 00 |
| 50 Mme. Francisca Kruger, T. 2 years | 15 00 |
| 70 Mme. Helen Gould. 2 years | 15 00 |
| 125 Mme. Jules Grolez, H.T. 2 years | 15 00 |
| 110 Mme. Lambard, T. 2 years | 15 00 |
| 35 Mme. Melanie Soupert, H.T. 1 year | 13 50 |
| 110 2 years | 15 00 |
| 60 Mme. Segond Weber, H.T. 2 years | 15 00 |
| 190 Mme. Valere Beaumez, N.T. 2 years | 15 00 |
| 115 Mrs. Foley-Hobbs, T. 2 years | 15 00 |
| 85 Mrs. Geo. Shawyer, H.T. 2 years | 15 00 |
| 60 Papa Gontier, T. 2 years | 15 00 |
| 90 President Taft, H.T. 2 years | 15 00 |
| 110 Radiance, H.T. 2 years | 15 00 |
| 135 Rhea Reid, H.T. 2 years | 15 00 |
| 1,075 Rugosa rubra, R. 3 years, seedlings | 10 00 |
| 150 Silver Moon, H.W. 2 years | 15 00 |
| 175 Souv. du Pres. Carnot, H.T. 2 years | 15 00 |
| 85 Sunburst, H.T. 1 year | 15 00 |
| 75 Ulrich Brunner, H. P. 2 years | 15 00 |
| 100 Wellesley, H.T. 2 years | 15 00 |
| 45 White Killarney, H.T. 1 year | 13 50 |
| 190 White Maman Cochet, T. 2 years | 15 00 |
| 50 Wichuraiana. 1 year | 7 50 |
| 230 2 years | 9 00 |
| 335 William Shean, H.T. 2 years | 15 00 |
| 180 Yvonne Vacherot, H.T. 2 years | 15 00 |

INDEX

| | PAGE | | PAGE |
|--|--------------|------------------------------|------------|
| Abelia..... | 11 | Juniperus..... | 20 |
| Acer..... | 8 | Kadsura..... | 17 |
| Actinidia..... | 16 | Kœlreuteria..... | 9 |
| Akebia..... | 16 | Lagerstrœmia..... | 6 |
| Aleurites..... | 8 | Laurel..... | 14 |
| Althœa..... | 5, 6 | Laurus..... | 14 |
| Ampelopsis..... | 16 | Laurocerasus..... | 14 |
| Amygdalus..... | 8 | Laurustinus..... | 16 |
| Anise Tree..... | 14 | Libocedrus..... | 20 |
| Aphananthe..... | 8 | Ligustrum..... | 14 |
| Arborvitœ..... | 21 | Liquidambar..... | 9 |
| Arbutus..... | 12 | Liriodendron..... | 9 |
| Ardisia..... | 12 | Lonicera..... | 6, 17 |
| Ashberry, Holly-leaved..... | 15 | Magnolia..... | 9, 14, 15 |
| Aucuba..... | 12 | Mahonia..... | 15 |
| Azalea..... | 12 | Maple..... | 8 |
| Banana Shrub..... | 15 | Medlar, Japan..... | 13 |
| Bay Tree..... | 14 | Melia..... | 10 |
| Berberis..... | 4, 12, 15 | Meratia..... | 6 |
| Bignonia..... | 17 | Michelia..... | 15 |
| Bottle-brush..... | 12 | Myrtle, Trailing..... | 17 |
| Box, Dwarf..... | 12 | Nerium..... | 15 |
| Buxus..... | 12 | Nettle Tree..... | 8 |
| Callistemon..... | 12 | Nut Trees..... | 4 |
| Callicarpa..... | 4 | Oak..... | 10, 11, 16 |
| Camellia..... | 13 | Oleander..... | 15 |
| Camphor Tree..... | 13 | Olive..... | 3 |
| Candleberry Tree..... | 8 | Olive, Tea..... | 15 |
| Candle-nut..... | 8 | Osmanthus..... | 15 |
| Cassine..... | 13 | Peach, Double-flowering..... | 8 |
| Cedar..... | 18, 20 | Pears..... | 3 |
| Cedrus..... | 18 | Periwinkle..... | 17 |
| Celtis..... | 8 | Persimmons..... | 3 |
| Cephalotaxus..... | 18 | Photinia..... | 15 |
| Cercis..... | 4, 5, 9 | Philadelphus..... | 6 |
| Chamœcyparis..... | 19, 20 | Pine..... | 20, 21 |
| Chamærops..... | 16 | Pinus..... | 20, 21 |
| Cherry..... | 10, 14 | Pittosporum..... | 15, 16 |
| Chestnut..... | 4 | Platanus..... | 10 |
| Chilopsis..... | 5 | Plum..... | 3 |
| China Tree, Golden Leaf..... | 10 | Pomegranates..... | 3 |
| Chionanthus..... | 5 | Poncirus..... | 7 |
| Cinnamomum..... | 13 | Poplar..... | 9, 10 |
| Citrange..... | 13 | Populus..... | 10 |
| Cleyera..... | 13 | Privet, Japanese..... | 14 |
| Climbers..... | 16, 17 | Prunus..... | 10 |
| Conifers, Specimen..... | 21 | Punica..... | 6 |
| Cornus..... | 9 | Quercus..... | 10, 11 |
| Cross-vine..... | 17 | Quinces..... | 3 |
| Cunninghamia..... | 20 | Red-bud..... | 9 |
| Cupressus..... | 19, 20 | Rhodotypos..... | 7 |
| Deutzia..... | 5 | Rhus..... | 7 |
| Dogwood..... | 9 | Rhynchospermum..... | 17 |
| Elœagnus..... | 3, 5, 13, 17 | Roses..... | 22, 23 |
| Elm..... | 11 | Rosmarinus..... | 7 |
| Eriobotrya..... | 3, 13 | Salisburia..... | 9 |
| Escallonia..... | 13 | Salix..... | 11 |
| Euonymus..... | 5, 17 | Shrubs, Deciduous..... | 4-8 |
| Evergreen Trees and Shrubs, Broad-leaved..... | 11-16 | Spirœa..... | 7 |
| Evergreens, Coniferous..... | 18-21 | Spondias..... | 11 |
| Exochorda..... | 5 | Staphylea..... | 7 |
| Forsythia..... | 5 | Strawberry Tree..... | 12 |
| Fruit Department..... | 3, 4 | Styrax..... | 7 |
| Gardenia..... | 13 | Sycamore..... | 10 |
| Gelsemium..... | 17 | Symphoricarpos..... | 7 |
| Ginkgo..... | 9 | Syringa..... | 7 |
| Golden Rain Tree..... | 9 | Tamarix..... | 7 |
| Grapes..... | 3, 4 | Taxodium..... | 11 |
| Grasses..... | 18 | Texas Umbrella..... | 10 |
| Gum, Sweet..... | 9 | Thuya..... | 21 |
| Hackberry..... | 8 | Tilia..... | 11 |
| Hedera..... | 17 | Trachycarpus..... | 16 |
| Hibiscus..... | 5, 6 | Trachelospermum..... | 17 |
| Holly..... | 13 | Trees, Deciduous..... | 8-11 |
| Hydrangea..... | 6 | Ulmus..... | 11 |
| Hypericum..... | 6 | Viburnum..... | 8, 16 |
| Ilex..... | 13 | Vinca..... | 17 |
| Illicium..... | 14 | Virginia Creeper..... | 16 |
| Ivy, English..... | 17 | Vitex..... | 8 |
| Jasmine..... | 13, 17 | Walnuts..... | 4 |
| Jasminum..... | 6, 17 | Wisteria..... | 17 |
| Judas Tree, American..... | 9 | Yucca..... | 16 |

NO SCALE OR DISEASE

Our nurseries are inspected annually by the State Entomologist. A certificate of inspection is attached to every package that leaves our establishment.

FUMIGATION

We fumigate our stock with hydrocyanic acid gas before shipping, as required by state law, which assures freedom from insects or disease of any kind.



Quercus palustris (Pin Oak)